INDEX FOR VOLUME 30

New species in **blackface type**
Joint authorship indicated by pages in "( )"
AUTHOR AND SUBJECT INDEX

Prepared by Frederick V. Rand, Office of Experiment Stations, U. S. Department of Agriculture.

Abelia floribunda, nematode on, control, 338
Abies amabilis, Geotrichum pink stain (exp.), 351
balsamea, Polyporus decay, 957
Accessory growth substances (See Growth substances)
Acer spp., Phytophthora bleeding canker, and control, 11
Verticilium from, 25
platanoides, Phytophthora disease, 19
saccharum, fly-speck fungus of apple on, 2
Aceratagallia sanguinolenta, migration compared to diffusion, 7
as vector of potato yellow dwarf, factors in, 7
Aconitum fischeri var. wilsonii, Verticillium infection, 1054
Actinomyces spp., pathogenicity of isolates, test method for, 5
ipomoea, n. sp., sweet potato soil rot due to, 19
general study, 923
scabies, cultural and physiologic races, 21
pH tolerance of physiologic races, 699
on potato, control by seed-piece treatment, 20
pathogenicity test method for isolates, 5
ADAIR, L. A., 702
ADAMS, J. F., 359
Adelopus gaümanni, Douglas fir needle cast associated, 649
AFANASIEV, M. M., 784
Agropyron spp., root and foot rots of, insect relations, 8
Ustilago bullata infecting, 991
Ustilago striaeformis infecting (exp.), 117
Agrostis, Puccinia graminis from, unusual behavior, 693
AHRENS, W. E., 521
Air, Sclerotinia camelliae ascospores borne by, 168
ALEXANDER, L. J., 1
Alfalfa, mosaic, hosts (exp.), 444
relation to potato calico, 444
virus properties, 20
phyllody on, 869
Alkaloids, effect on: fungi, 475
Phymatotrichum omnivorum, 475
role in plant resistance to infection, 475
Allergy, in plants (?), 12
ALLISON, J. LEWIS, (8)
Allium vineale, Pythium paroecandrum causing root rot of, 203
Almond, Sclerotinia blossom infection, eradicant sprays for, 27
Alternaria, ginseng blight, fixed copper sprays for, 28
-tomato-blight, control by spraying, 9
spp., cotton boll rot due to, 705
on cotton seedlings, incidence, 708
flax soil sickness association, 759
citri, grapefruit storage rot due to, 789
Aluminum-ion concentration, effect on damping off fungi, 563
Ambrosia beetles, and fungi associated, 227
American Phytopathological Society, constitution, 984
report, annual meeting (1939), 352
Southern Division, report, annual meeting (1940), 702
Ammonium hydroxide, as fumigant in sweet-potato storage houses, 4
Amsinckia intermedia, stem-and-bulb nematode on, distribution, 43
ecological specialization, 41
Angular leaf spot, tobacco, control in beds vs. field infection, 12
Annulaceae, characterization as virus family, 824
Annulus tabaci, tobacco infection by, 824
Anthracnose, cotton, seasonal incidence, 705
peony, 409
soybean seedling stem-, in China, 345
tulip, 790
Aphanomyces euteiches, root rot of Austrian winter peas and vetches due to (?), 708
Aphid(s), green peach-, as vector of crucifer mosaic in China, 340
as vectors of cabbage virosis, 15
Aphis maidis, on sorghum in greenhouse, control by selenized soil, 274
Aplanobacter (See also Bacterium; Phytomonas)
stewarti, bacteriophage, origin and function, 602
in resistant vs. susceptible corn, 24
resistance to, mechanism, 608
sectoring colonies in, 276
Apothecia, development in culture, method, 869
Apple, blue-mold rot, control by chemicals, 638
boron deficiency disease, control, 3
cedar rust, fungicidal effectiveness for, determination method, 7
spray program factors, 7
varietal reactions to, 2, 691

Corticium white root rot, 139
dieback, association with other diseases, 152
control by borax and potassium, 152
as deficiency disease, elements involved, 148, 152
fly-speak fungus, pathogenicity and hosts, 2
Phomopsis infection, 965
powdery mildew, diurnal cycle of spore maturation, 65
rosette, comparison to dieback, 150
scab, eradicant fungicidal control, 18
fungicidal effectiveness for, determination method, 7
in storage, as influenced by rain, 174
storage lesions on fruit, histopathology, 26
Trichoseptoria soft rot, 328
wood decay, fungi associated and control, 936
Apricot, Sclerotinia laxa blossom infection, eradicant sprays for, 27
ARK, P. A., 1, 148
Armillaria mellea, growth as influenced by alkaloids, 478
ARMSTRONG, G. M., 1, 515, 702
ARNDT, C. H., 702
ARTSCHWAGER, ERNST, 91
Ascochyta pinodella, on Pisum arvense, breeding for resistance, methods for southern U.S.A., 155
ASHBY, ERIC, (351)
ASHBY, HELEN, 351
Aspen, quaking (See Populus tremuloides)
Aspergillus spp., corn roots attacked by, 10
on cotton seedlings, incidence, 708
Aster, damping off, control, 335
powdery mildew, diurnal cycle of spore maturation, 65
yellows, virus, dissemination and leafhopper vector, statistical study, 16
mechanical transmission to leaf hopper, 2
recovery from potato by leaf hopper, 1049
ATKINSON, R. E., 2
Auxins (See Growth substances; hyperauxony)
A-virus, as potato mild-mosaic component, 944
AYERS, THEODORE T., 543, (620)
AYRES, JOHN C., (684)
Azalea, Monilina brown rot, 537
Ovulinia flower blight, 236
Sporocybe bud and twig blight, fungus studies, 506

Bacillus (See also Erwinia)
spp., phytopathogenic, classification and nomenclature, 28
mesentericus, toxin, properties, 1020
variation in Helminthosporium induced by toxin of, 1017
Bacteria, phytopathogenic, bacteriophages for, origin and significance, 24
stomata and wind-blown rain in infections by, 5
viability as influenced by reducing substances, 1
virulence mechanism in Phytomonas stewartii, 248
Bacteriophage(s), for Aplanobacter stewarti, origin and function, 602
in plants, origin and significance, 24
Bacteriosis, walnut- (See Phytomonas juglandis)
Bacterium (see also Aplanobacter; Phytomonas)
angulatum, tobacco blackfire (exp.) induced by, 73
malvacearum, transmission from seed to seed, 4
phaseoli, association with common bean mosaic virus, 9
dissociation, 9
pruni, on peach, atypical leaf spot symptoms due to, 88
as influenced by nitrogen fertilization, 706
pseudotsugae, galls on Pseudotsuga spp. induced by, 624
solanacearum, Nicotiana resistance to, 4
tabacum, Nicotiana resistance to, 4
stomatal role in infection by, 5
tobacco blackfire (exp.) induced by, 73
tobacco leaf infection, stomatal relations, 268
BAINES, R. C., 2
Barberry, Japanese (See Berberis thunbergii)
Bark beetles, Ceratostomella ulmi isolated from, 701
pine blue-stain following attacks, 976
Bark roughening, in fruit trees, 790
BARKER, H. D., (710)
Barley, powdery mildew, inheritance of resistance to, 24
smuts, pre- and post-emergence factors in infection, 23
BÄRNES, JOHANNES, (351)
BARSS, HOWARD P., 358, 711, (713)
Basisporium gallarum, on corn roots, 10
BAUER, KARL, 785
BAWDEN, F. C., 349
Bean, alfalfa mosaic infecting, 445
bacterial blight, as influenced by temperature and humidity, 258
seed treatment for, 14
broad, pineapple yellow-spot virus infecting (exp.), 289
curly top on, varietal reactions, 786
curly top-common mosaic resistant variety, 779
inoculations with extracts from healthy legumes, 12
Lima, organic seed protectants for, 4
mosaic, Bacterium phaseoli associated with virus of common-, 9
phyllody on, 869
pineapple yellow-spot virus infecting (exp.), 306
potato calico infecting, 445

powdery mildew, diurnal cycle of spore maturation, 66
resistance inheritance, 786
red kidney, hyperauxony of nodules of, 15
root knot on stems and leaves, 710
rust, resistance inheritance, 786
halo blight, as influenced by temperature and humidity, 258
Beauveria, pine bark beetle infected (?) by, 8
Beet (See also Sugar beet)
host of new cabbage virosis, 15
root girdle induced by high wind, 6
Beetles, ambrosia, and fungi associated, (227)
pine-bark, fungus parasite of, 8
BENNET, C. W., 2
Benzol, effect on tobacco vs. fungi, 219
fungicidal applications, apparatus and technique, 213
Berberis thunbergii, Verticillium from, 25
BERG, ANTHONY, 876
BESSEY, ERNST A., 989
Betula lutea, Geotrichum pink stain (exp.), 533
papyrifera, ambrosia beetles on, and fungi associated, 227
BEVER, WAYNE M., 774
Big bud, tomato-, symptoms, transmission and hosts, 785, 866
Bindweed, Rhabdospora disease of, 778
Biographies and necrologies, Hill, Lawson Merrill, 377
Jagger, Ivan Claude, 376
Petry, Edward Jacob, 379, 989
Stone, Roland Elisha, 378, 879
Biological control, of pine bark beetle, 8
Birch, paper- or white- (See Betula papyrifera)
yellow- (See Betula lutea)
BITANCOURT, A. A., (12)
BLACK, L. M., 2, 444
Black cherry (See Prunus serotina)
Black mold, of rose grafts, Chalaropsis causing, 793
Black root, sugar beet-, 784, 785
late form, 788
Blackberry, Allegheny (See Rubus alleghenicnsis)
Blackfire, tobacco, exp. production, 73
Bladdernut, American- (See Staphylea trifolia)
BLANK, LESTER M., 702, 703, 1033
Blights, arborvitae (oriental) Coryneum, 592
azalea bud- and twig-, Sporocybe-induced, 506
azalea flower-, Ovulinia-induced, 236
bean common bacterial, 258
bean halo-, 258
bluebery Phomopsis twig-, 441
camellia flower-, Sclerotinia-induced, 166
celery early-, 623
cherry Sclerotinia, 89
fig leaf-, Corticium spp. causing, 25
filbert bacterial, 713
ginseng Alternaria, 28
lettuce brown-, 53
pepper Phytophthora, 951
potato late- (See Phytophthora infestans)
rhododendron bud- and twig-, Sporocybe-induced, 506
rhododendron flower-, Ovulinia-induced, 236
soybean stem-, Glomerella-induced, 345
stone-fruit blossom-, Sclerotinia-induced, 27
tomato Alternaria, 9
tomato late- (See Phytophthora infestans)
walnut and filbert compared, 713
Blister rust, white pine- (See Cronartium ribicola)
Bloat, onion nematode-, 18, 390
BLODGETT, EARLE C., 347, 785
Blossom blight, stone-fruit Sclerotinia, 27
Blossom-end rot, tomato-, 28
Blue mold, tobacco (See Peronospora tabacina)
Blue-stain, pine Ceratostomella, 976
Blueberry, Phomopsis twig blight, 441
BODINE, E. W., (951), (972)
BOLLEN, W. B., (713)
BONDE, REINER, 733
Borax, apple boron deficiency control by, 3
Bordeaux mixture, low-lime, for pecan diseases, 704
in tobacco leaf disease control in beds, 12
Boric acid, apple boron deficiency control by, 3
Boron, apple deficiency disease due to, 152
control, 3
Botany, terminology, German-English book on, review, 351
Bouvardia humbolti, nematode infestation, control, 338
BOWMAN, DONALD H., 3, (5)
BOWMAN, J. J., (417), (873)
Boxwood, banana nematode-infesting, 710
BOYCE, J. S., (359), 649
BOYD, O. C., (369)
Boysenberry, Septoria canker and die-back of canes, 785
BRAMBLE, WILLIAM C., 881
Brassica spp., mosaic, aphid transmission, 340
in China, 340
BRATLEY, C. O., 174
BRAUN, A. J., (791)
Breeding, barley, for powdery-mildew resistance, 24
bean, for curly-top resistance, 786
cotton, for Fusarium wilt-nematode resistance, 710
lettuce, for brown-blight resistance, 60
for nematode resistance, technique, 708
Nicotiana, for disease resistance, 4
peas (Austrian Winter field-), for disease resistance, 155
rice, for Cercospora leaf spot resistance, 1041
tobacco, for root-knot resistance, 708
tomato, for Fusarium-Verticillium wilt resistance, 760

for leaf-mold resistance, 1
Bremia lactucae, immunity, inheritance in lettuce, 427
physiologic races, 427
BRENTZEL, W. E., (360)
BRIERLEY, PHILIP, 171, 250
Brilliant green preparations, for bean seed treatments, 14
BRINKERHOFF, L. A., (789)
Broad ring spot, tobacco, new virus and hosts, 13
Bromus spp., Ustilago bullata on, 991
inermis, root and foot rots, insect relations, 8
BROOKS, A. N., 703
BROWN, H. B., (705)
Brown scale, Easter lily-, Vermicularia associated, 19
Buckskin, cherry, peach leaf-casting yellows compared, 325
virus, of cherry and peach, 790
Bud rot, carnation central-, 853
Buddleia asiatica, nematode infestation, control, 338
Bulb(s), diseases of, book review, 454
lily-, Fusarium spp. infecting, 11
onion-, nematode rot of, 18
Bunt(s), wheat- (See also Tilletia tritici; T. levis)
environal factors, 20, 400
as influenced by fertilizers, 8
losses in United States from, 449
BURNETT, L. C., 17, (808)
BURRELL, A. B., 3
BUTLER, KARL D., 3
Buxus, banana nematode infesting, 710

Cabbage, Chinese, mosaic, 340
necrotic virosis (new), mosaic and ring spot compared, and hosts and vectors, 15
yellows, in Iowa, 22
Cabbage-aphid, as vector of cabbage necrotic virosis, 15
Calcium cyanamid, Sclerotinia apothecia destroyed by, 785
CALDWELL, RALPH M., 3
Calendula, host of new cabbage virosis, 15
Calico, potato, hosts (exp.), 444
relation to alfalfa mosaic, 444
Calico-mosaic, potato, control, 20
Camellia, yellow spot, virus (?) etiology and symptoms, 788
japonica, Sclerotinia flower blight, 166
CAMPBELL, LEO, 785
Canada-streak, alfalfa mosaic not related, 447
Canker, delphinium (perennial) Phoma, 15
maple Phytophthora, 11, 19
poplar Cytospora, 470
Septoria, of boysenberry and youngberry, 785
white pine blister rust-, 80, 611
Carbon bisulphide, as nematicide, 711
tomato root knot and wilt control by, 860
Carborundum, for virus inoculations, 185
Carnation, Fusarium central bud rot, 853
CAROSELLI, N., (11)
Carrot, Cercospora leaf blight, fixed copper sprays for, 28
phyllody on, 785, 869
root girdle induced by high wind, 6
CARTER, J. C., (361)
CASSELL, R. C., (22)
CATION, DONALD, (983)
Cedar, red (See Juniperus virginiana)
Celery, Cercospora leaf blight, fixed copper sprays for, 28
early blight, spore production in culture, 623
pineapple yellow-spot virus infecting (exp.), 289
Sclerotinia pink rot, control in muck soil, 703
Cells, cytological changes by viruses in, 5
Centaurea cyanus, Verticillium infection, 1054
Cephalosporium, of elm die-back, variation in, 6
cinnamomeum, n. sp., leaf spot of Nephthytis and Syngonium due to, 972
Ceratostomella pini, pine infection following beetle attack, 976
pine trees killed by, bark beetle associated, 881
mechanism, 895
temperature relations, 896
ulmi, on bark beetles, viability as influenced by temp., 701
detection by trunk sampling, 521
dissemination, smaller European elm-bark beetle role, 15
infection by, factors influencing, 29
isolation from rainwater, 30
recovery from inoculations, 1052
in stored wood, viability, 272
Cercospora,-leaf blights of celery and carrot, fixed copper sprays for, 28
spp., peanut leaf spots due to, control by fungicides, 706
apii, spore production in culture, 623
beticola, on sugar beet, effect on composition and carbon assimilation, 659
oryzae, physiologic races, 21
on rice, resistance inheritance, 1041
resistant varieties, 21
Cereals, diseases, control by field dusting with sulphur, 3
root and foot rots, insect relations, 7
Typhula snow molds on, 178
Ceresan, cotton disease control by, 4
Chaetomium spp., on cotton seedlings, incidence, 708
Chalaropsis thielavioides, rose-graft black mold due to, general study, 793
Chamaecyapris, Phytophthora disease of, 788
CHAMBERS, E. L., 359
Chard, host of new cabbage virosis, 15
Cherry, Sclerotinia blight, 89
buckskin, peach leaf-casting yellows compared, 325

choke-, yellow-red disease of peach on, 10
Phytomonas syringae on, 27
sour-, bud-transmissible chlorosis (new), 13
fruit color, quality and size as influenced by sulphur and copper sprays, 28
leaf spot, control by piece-root grafting, 873
spray program for, 24
sweet-, Phomopsis infection, 965
rusty mottle, new virus disease, 789
CHESTER, K. STARR, 4, 703
Chick chorioallantois, tobacco-mosaic virus culture trials on, 184
Chicory, pineapple yellow-spot virus infecting (exp.), 289
CHIDESTER, MAE SPRADLING, 530
CHILDS, JAMES F. L., 65
CHILTON, ST. JOHN P., (227), 533, 622, 695
CHITWOOD, B. G., (18), (390)
Chloropicrin, as fumigant for sweet-potato storage houses, 4
as nematicide, 711
tomato root-knot and wilt control by, 860
Chloroplasts, as influenced by viruses, 5
Chlorosis, of deciduous trees, ferric phosphate treatment, 23
sour-cherry bud-transmissible (new), 13
Chokecherry, yellow-red disease of peach on, 10
Chorioallantois, chick-, tobacco-mosaic virus culture trials on, 184
CHRISTENSEN, CLYDE M., (227), 459, (936), 957
CHRISTENSEN, J. J., (7), 1017
Chromium trioxide, effect on Penicillium spores, 646
Chrysanthemum, fumigation injury of Whittier var., Nico-fume causing, 539
Verticillium infection, and other hosts, 25, 1054
CHUPP, CHARLES, (359)
Cineraria, Verticillium infection, 25, 1054
Citrus, Corticium areolate leaf spot, 119
Cladosporium effusum, on pecan, control by spraying, 704
fulvum, on tomato, virulent strain, 1
paconiae, peony stem spot due to, 412
CLARK, C. F., (733), (944)
Classification of organisms (See Taxonomy)
Claviceps purpurea, apothecial production in culture, 872
CLAYTON, C. N., (13)
CLAYTON, E. E., 4, 355, 708
Clover, powdery mildew, diurnal cycle of spore maturation, 69
alsike- (See Trifolium hybridum)
white- (See Trifolium repens)
Clubroot (See Plasmodiophora brassicae)
Coccomyces hiemalis, on sour cherry, control by piece-root grafting, 873
COCHRAN, L. C., (11)
COFFMAN, F. A., (808)
COLE, JOHN R., 704
Colletotrichum falcatum, in sugarcane, cellular reactions, 5
COMPTON, L. E., (3)
Conifers, damping off, as influenced by Alions and pH, 563
Coniothyrium spp., Paeonia suffruticosa wilt due to, 8
fuckelii, infection on rose leaves attacked by Diplocarpon rosae, 451
CONNERS, I. L., (359)
Constitution, of American Phytopathological Society, 984
Constriction disease, peach Phomopsis, 963
Convolvulus arvensis, Rhabdospora disease of, 778
COOK, HAROLD T., 4
COOK, MELVILLE THURSTON, 454
COOLEY, J. S., 139
COONS, G. H., (374)
COOPER, KENNETH W., 853
Copper fungicides (See Fungicides, copper)
Cork, apple, association with dieback, 152
CORMACK, M. W., 700
Corn, bacterial stalk rot (new) of field-, 1
bacterial wilt, bacteriophage origin and relation to, 24, 602
invasiveness as influenced by virulence and host age, 244
mechanism, 625
sectoring colonies in organism of, 276
dry rot (see Diplodia zeae) 21
Helminthosporium resembling H. zeicola infecting, 25
seed infections, control by rapid drying, 14
smut (See also Ustilago zeae)
soil-inhabiting fungi attacking roots, succession of, 10
Cornus florida, Corticium galactinum infecting, 145
Corticium **areolatum,** n. sp., citrus areolate leaf spot due to, 129
galactinum, apple white root rot due to, 139
culture relations, 145
distribution, 140
fruiting stage, 142
hosts, 145
microsclerotia, on fig, control, 25
stevensii, on fig, control, 25
Coryneum **berchmanii,** n. sp., arborvitae (oriental) blight due to, and control, 594
hosts, 593
COTTER, RALPH U., 689, 693
Cotton, angular leaf spot, overwintering on cottonseed in field, 679
boll rots, microorganisms associated, 705
diseased seed effects on healthy seed, 4
diseases, Ceresan control, 4
fungi on seedlings of, 708
Fusarium wilt, as influenced by potash in varying environments, 707
meadow nematode relation, 710

nematode complex, control, resistance to, 710
pathogenicity tests of strains, 707
resistance of strains and hybrids to, 705
tobacco organism identical, 1
variations in pathogenicity, etc., 515
Glomerella damping off, seed treatment for, 1051
Phymatotrichum root rot, factors influencing seedling infection, 702
as influenced by: girdling and topping, 704
organic manures and residues, 704
ntirogen and pH relations, 703
pathogenesis mechanism, 707
resistance, field tests, 704
of seedlings, mechanism, 1033
susceptibility vs. age of plants, 704
Rhizoctonia infection from soil, seed treatment for, 847
Rhizoctonia seedling infection, control by seed treatment, 705
root knot on, control by fallow vs. rotation, 709
seed, gravity-grades acid-delinted, planting tests with, 703
viability, storage tests, 707
seed-treatment, extension work in, 706
Thielaviopsis black root rot of, 707
Cottonseed-oil, -red copper oxide, for tomato disease control, 9
Cottonwood, chlorosis, ferric phosphate treatment, 23
COUCH, J. N., 186
Cowpea, alfalfa mosaic infecting, 445
potato calico infecting, 445
CRAIGHEAD, F. C., 976
Cronartium ribicola, mycelial extent beyond cankers, 611
on western white pine, seasonal fluctuations in canker growth, 80
white pine selection for resistance to, 20
Crops, vegetable, textbook reviewed, 543
Crown gall, in peach nurseries, factors influencing and control, 417
ultraviolet light effects on bacteria of, 6
Crown infection, of pines, in artificial vs. natural stands, 28
Crucifers, clubroot (see Plasmodiophora brassicae) 26
hosts of new cabbage virosis, 15
mosaic, aphid transmission, 340
in China, 338
Phoma lingam infection, host permeability role, 24
Cucumber, alfalfa mosaic infecting, 445
bacterial wilt, mechanism of infection, 625
downy mildew, fungicidal control, 706
host of new cabbage virosis, 15
mosaic, alfalfa mosaic not related, 447
transmission through dodder, 2
virus nomenclature, 823
virus-I, cross inoculations and associations, 171
in lilies, 250
symptomless passage in lily, 171
tulip infection, 171
Phytophthora capsici from, sexual relations, 951
Phytophthora fruit rot of, 973
potato calico infecting, 445
powdery mildew of, diurnal cycle of spore maturation, 65
Culture media, for Cercospora apii spore production, 623
effect on sectoring in fungi, 382
for Phymatotrichum, 130
reducing substances in, effect on bacterial viability, 1
tryptophane-free, auxin production by Ustilago on, 17
for Urocystis occulta, 587
CUMLEY, R. W., 4, 130
CUNNINGHAM, H. S., 4
Cupressus sempervirens var. stricta, Coryneum blight, 593
Curly top, on bean, varietal reactions, 779, 786
Chilean tomato resistant to, 280
on sugar beet, cellular effects, 5
transmission by leaf hoppers, factors influencing, 433
virus, strains separated by leaf hoppers, 786
virulence and infection relations of strains, 786
on tobacco, passive immunization, 26, 673
transmission through dodder, 2
Cuscuta, virus separation through, 2
viruses in, acquisition and transmission, 2
Cypress, southern, Geotrichum pink stain (exp.) on, 533
Cysteine, effect on bacterial viability, 1
Cytological methods, for virus separation, 788
Cytology, cellular, as influenced by viruses, 5
Cytospora chrysosperma, growth, reproduction and parasitism, 459
poplar canker due to, 470
taxonomy and relationships, 459

Dacryomyces sp., in pine sapwood, bark beetle association, 884
temperature relations, 896
DAINES, R. H., (361)
Damping-off, of conifers, as influenced by Al-ions and pH, 563
control by ethyl mercury iodide, 334
of cotton, control, 706, 1051
seed treatments for, factors influencing, 788
DANA, B. F., 785, 786, 866
DARKIS, F. R., (213), (485), (495)
Datura stramonium, pineapple yellow spot virus infecting (exp.), 289
DAVIDSON, ROSS W., (139), (355)
DAVIES, F. R., (1017)
DAVIS, G. N., (20)
DAVIS, W. H., 506
DECKER, PHARES, 5
Deficiency diseases, apple dieback, 148
boron, in apple, 3, 152

chlorosis of deciduous trees, 23
Delphinium, Phoma disease of perennial, 15
Dendroctonus frontalis, fungi associated with pine attack by, 881
fungus parasite of, 8
nematode infestation, 8
pine infection by Ceratostomella following attack by, 976
pines killed by Ceratostomella associated with, 881
DEVRIES, LOUIS, 91
Diabrotica, as vector of corn bacterial stalk rot, 1
DIACHUN, STEPHEN, 5, (25), (73), 268
Diaporthe eres, peach constriction disease due to, 967
perniciosa, peach constriction disease due to, 967
vaccinii, ascigerous stage of Phomopsis vaccinii, 441
blueberry twig blight due to, 41, 441
DICKSON, JAMES G., 5
Dictionary, German-English science-, 91
"German-English botanical terminology," review, 351
Dieback, apple deficiency disease, 148
elm Dothiorella, 6
Septoria, of boysenberry and youngberry canes, 785
Digitalis purpurea, Verticillium infection, 1054
DIMOCK, A. W., 1054
Diplocarpon rosae, Coniothyrium fuckelii infecting leaves attacked by, 451
Diplodia gossypina, on cotton seedlings, incidence, 708
zeae, corn infection in steamed vs. nonsteamed soils, 22
corn roots attacked by, 10
growth stimulation of, 21
sclerospore-producing strains in U. S. A., 979
Diseases (plant) (See also Phytopathology)
of bulbous plants, book review, 454
cereal, control by sulphur, 3
common names in German- and English-listed, book review, 351
of economic plants in Antilles, book review, 454
fungus, sulphur vapor effects on, 791
obligate parasites causing, separation method, 791
prevalence and destructiveness in Iowa (1850–1937), 22
resistance to (See under Resistance; and specific diseases)
transmission from seed to seed, 4
virus, review of handbook, 456
Disinfectants (See Fungicides)
Dissociation, microbic, in Bacterium phaseoli, 9
Distribution of: Adelopus gaümanni, 649
Cercospora oryzae, 1042
Corticium galactinum, 140
Ditylenchus dipsaci, 390
var. amsinckiae, 43
Fusarium poae, 854
Peronospora tabacina, 684
Pratylenchus musicola, 710
pratensis, 710
Septobasidium spp., book review, 187
tomato big bud, 785, 866
Ustilago bullata, 991
Ditylenchus dipsaci, dissemination of strains, 52
Hypochaeris strain, ecological specialization in, 50
life cycles of strains, 51
onion bulb rot or bloat due to, 18
distribution, hosts and control, 390
var. amsinckiae, distribution, 43
ecological specialization in, 41
Dodder, virus separation through, 2
viruses in, acquisition and transmission, 2
DODGE, B. O., 373
DOOLITTLE, S. P., (171)
Dothiorella ulmi, variation in, phenotypic groups, 6
DRAYTON, F. L., (361)
DRECHSLER, CHARLES, 189
Drought spot, apple, association with dieback, 152
Dry rot, corn (See Diplodia zeae) 21
DuBay 1155—HH, fungicidal and nematicidal powers, 334
DUFRENOY, JEAN, 5
DUGGAR, B. M., 6
DUNDAS, B., 786
DUNEGAN, JOHN C., 88, 89
DUNLAP, A. A., (361)
DURRELL, L. W., (951), (972)
Dusts, fungicidal assay, rapid method, 1047
Dutch elm disease (See Ceratostomella ulmi)
Dyes, effect on Penicillium spores, 642
preparations for bean seed treatment, 14

Easter lily (See Lilium longiflorum)
Echinochloa crusgalli, root and foot rots of, insects relations, 8
Ecology, of physiological race determination, 911
terminology, German-English book on, review, 351
EDDINS, A. H., 181
EDGERTON, C. W., (5)
EDSON, H. A., 354, 355
EGGERS, VIRGINIA, 15
Eggplant, pineapple yellow spot virus infecting (exp.), 289
Verticillium inoculations, 25
EHRLICH, JOHN, 611
EIDE, CARL J., 936
ELLIOTT, CHARLOTTE, 276
Elm, American (See Ulmus americana)
Elm-bark beetles, smaller European, fungi associated, 15
Elsinoë spp., in United States, Puerto Rico and Guam, 12
vitamin responses, 10
Elymus spp., Ustilago bullata infecting, 991
Ustilago striaeformis infecting (exp.), 117
Emilia, pineapple yellow-spot virus infecting, 283, 306

Endive, pineapple yellow-spot virus infecting (exp.), 289
yellows, dissemination and leaf-hopper vector, statistical study, 16
Eradicant fungicides (See Fungicides, eradicant)
Errata, for PHYTOPATHOLOGY vol. 29, 380
vol. 30, 1056
Erwinia (See also Bacillus)
classification and nomenclature, 26
amylovora, pathogenicity of strains compared, technique and factors influencing, 9
viability as influenced by reducing substances, 1
tracheiphila, wilt induction by Phytomonas stewartii vs., mechanism, 625
Erysiphe cichoraceaum, spore maturation, diurnal cycle of, 65
graminis hordei, control by field dusting with sulphur, 3
resistance to, inheritance in barley, 24
polygoni, on bean, resistance inheritance, 786
spore maturation, diurnal cycle of, 65
Etch virus, nomenclature, 825
Ethyl mercury iodide, fungicidal and nematicidal powers, 334
Euonymus japonicus, powdery mildew, diurnal cycle of spore maturation, 66
Eutettix tenellus, saliva, hydroxyl-ion concentration, 433
as vector of sugar beet curly top, factors influencing, 433
EZEKIEL, WALTER N., 704
FELIX, E. L., 6
FENNE, S. B., 708
FENNER, LAWRENCE M., 6
Fertilizers, distributor for, 785
effect on wheat bunt, 8
mineral, effect on clubroot, 19
nitrogen, effect on peach bacterial spot, 706
organic, effect on cotton root rot, 704
in Sclerotinia apothecial destruction, 785
Festuca spp., Ustilago bullata on, 991
FIFE, J. N., 433
Fig, banana nematode infesting roots, 710
leaf blights, control, 25
Filbert, bacteriosis, Phytomonas corylina causing, 732
Fir, balsam (See Abies balsamea)
Douglas (See Pseudotsuga douglasi; P. taxifolia)
silver (See Abies amabilis)
Fire-blight, bacteria, pathogenicity of strains compared, 9
viability as influenced by reducing substances, 1
FISCHER, GEORGE W., 93, 991
Flax, soil sickness, etiology and pathogenesis, 749
FLOR, H. H., 749
Flower blight, of azaleas and rhododendrons, Ovulinia-induced, 236
camellia Sclerotinia, 166
Fly-speck fungus of apple, pathogenicity and hosts, 2
Foliopellis erodens, n. gen. and n. comb. for etch virus, 825
FOLSOM, DONALD, 313
Fomes applanatus, apple wood decay by, 940
Forestry (See also Trees)
crown infections of pine in artificial vs. natural stands, 28
Formaldehyde, as fumigant for sweet-potato storage houses, 4
FOSTER, H. H., (4)
FRAMPTON, VERNON L., 6, 7, 666
Fruit-stripe, tomato, tobacco virus-1 causing, 540
Fruits, tree-, (See Orchard fruit trees)
FULTON, ROBERT W., (13)
Fumigants, host-penetrating, volatile fungicides as, 494
for sweet-potato storage houses, 4
Fumigation, soil, plant-disease control by, 860
-injury, in chrysanthemum, 539
Fungus(i) association with smaller European elm-bark beetle, 15
fungicidal action in culture on, rapid assay method, 1047
growth, as influenced by alkaloids, 475
rates determined by photoelectric method, 702
hybridization, 101, 387, 693
as influenced by sulphur vapors, 791
inheritance of M and C types in, 787
isolation of single spores, apparatus for, 695
lettuce brown blight due to (?), 58
nomenclatorial committee note, 453
obligate parasitic, separation technique, 791
phycomycetous, isolation from soil, technique, 1055
specimen-envelope folder for, 278
vitamin responses, 10
Fungicides, action as influenced by methyl groups on amino nitrogens, 647
for apple blue-mold rot, 638
for apple cedar rust control, 7
assay, laboratory methods, 16, 545, 1047
for bean seed treatment, 14
benzol, apparatus and technique, 213
calcium cyanamid for Sclerotinia apothecia, 785
copper, Bordeaux for tobacco leaf diseases, 12
for cherry leaf spot, 24
effect on fruit color, quality and size in sour cherry, 28
for fig leaf blights, 25
for hops downy mildew, 16
as influenced by supplements, 18
-insoluble, comparative values for vegetables, 28
fungicidal power vs. color and particle size, 11
for tomato diseases, 9
for walnut bacteriosis, 788
for cucumber downy mildew, 706

for damping-off, 788
distributor for, 785
dust-, distributor for, 785
onion seed treatment by, 17
effectiveness, determination method, 7
eradicant, for apple scab, 13, 18
for Sclerotinia laxa blossom infection, 27
joint controlled medication method for host and parasite, 486
mercurial, Ceresan for cotton diseases, 4
for cotton Rhizoctonia, 705, 847
ethyl mercury iodide, 334
$HgCl_2$ for Helminthosporium seed infection, 536
organic seed-protectant, for Lima beans, 4
paradichlorobenzene, for tobacco downy mildew, 16, 485
for peanut leaf spots, 706
for pecan diseases, 704, 789
for potato ring rot, 23
silver compounds as, 18
sodium hypochlorite, for cotton damping-off, 1051
for sugar beet diseases, 784, 785
sulphur, for apple cedar-rust control, 7
cereal disease control by, 3
effect on fruit color, quality and size in cherry, 28
lime-sulphur for cherry leaf spot, 24
for sweet-potato soil rot, 8
vapors from compounds of, therapeutic action, 791
for sweet-potato storagehouse fumigation, 4
tenacity, biological assay, laboratory method, 840
volatile, as host-penetrating fumigants, 494
laboratory test for, 19
principles and technique, 213
weathering tests, 841
Fusarium sp.(p)-, association with smaller European elm-bark beetle, 15
corn roots attacked by, 10
cotton-boll rots due to, 705
cotton-infection tests with, 707
on cotton seedlings, incidence, 708
foot and root rots of cereals and grasses due to, insect relations, 8
lily-bulb disease due to, 11
origin and inheritance of M and C types in, 787
root-rot association, 708
avenaceum, pathogenicity for potato, 162
bulbigenum var. lycopersici, resistance of tomatoes to, test method, 86
virulence of strains, test method for, 87
var. niveum, pathogenic races compared, 10
lini, flax soil sickness due primarily to, 759
lycopersici, permeability role in parasitism, 24
resistance of Riverside tomato var. to, 760
on tomato, control by soil fumigation, 860
moniliforme, on corn, control by rapid drying of seed, 14
on corn roots, 10
on cotton, boll rot due to, 705
transmission from seed to seed, 4
Sansevieria leaf spot due to, 527
oxysporum, pathogenicity for potato, 162
potato seed-piece rot due to, 181
var. nicotianae, identity with F. vasinfectum, 2
poae, carnation central bud rot due to, 853
from grasses, carnation infection by, 855
symbiosis with mite, 859
transmission by mite, 856
solani, potato stem dry rot due to strain, 160
var. eumartii, pathogenicity for potato, 162
vasinfectum, cotton wilt due to, as influenced by potash in varying environments, 707
meadow nematode relation, 710
pathogenicity tests of strains, 707
resistance of strains and hybrids, 705
cotton wilt-nematode complex, control, 710
resistance to, 710
cultural characters, variations in, 515
growth as influenced by alkaloids, 478
identity with F. oxysporum var. nicotianae, 2
pathogenicity variations, 517

Galls (See also Crown gall)
bacterial, on Pseudotsuga spp., 624
white clover Urophlyctis, 2
GARDNER, M. W., (361), (374)
GASKILL, JOHN O., 769
Gasteromycetes, Phymatotrichum serologically related to, 4, 138
Genetics, terminology, German-English book on, review, 351
Gentian violet preparations, for bean seed treatment, 14
Geotrichum sp., pink stain in wood due to, 530
Geranium, Verticillium infection, 1054
German-English botanical terminology, book review, 351
German-English science dictionary, review, 91
Germination, pea seed, bacterial reduction, 790
Gibberella saubinettii, corn roots attacked by, 10
zeae, control by rapid drying of seed corn, 14
GIDDINGS, N. J., 786
Ginseng, Alternaria blight, fixed copper sprays for, 28
Girdling, root-, high wind inducing, 6
Gleditsia triacanthos, fly-speck fungus of apple on, 2

Gloeosporium thümenii f. **tulipae** n. f., tulip anthracnose due to, 790
Glomerella gossypii, on cotton, boll rot due to, seasonal incidence, 705
incidence on seedlings, 708
seed treatment for damping-off due to, 1051
transmission from seed to seed, 4
glycines, soybean stem blight due to, in China, 345
Glossary, German-English botanical terminology, book review, 351
Glutathione, effect on bacterial viability, 1
GODFREY, G. H., 41, 708
GOLDSMITH, G. W., (4), (130), 704
Gopher, pocket-, root knot spread by, 711
GOSS, ROBERT W., 160, 258
Grain crops (See Cereals; and specific crops)
Grapefruit, Alternaria storage rot, 789
Graphite, seed treatment value, 5
Graphium sp., association with smaller European elm-bark beetle, 15
Grass(es), Fusarium poae from, carnation infection by, 855
Helminthosporium turcicum in seed and glumes of Sudan-, 533
root and foot rots, insect relations, 7
root-knot resistance, 711
Sorosporium buff smut, 12
stripe smut, monographic study, 93
Typhula, snow molds, 178
Ustilago bullata on spp., 991
GREANEY, F. J., (360)
GREATHOUSE, GLENN A., 475
Greenbrier, bristly- (See Smilax hispida)
GREGORY, C. T., 368, 369
GROSS, H. N., (713)
GROSS, P. M., (213), (485), (495)
Growth cracks, in tomato, reduction by spraying, 9
Growth rate, fungus, determination by photoelectric method, 702
Growth substances, for Diplodia zeae, 21
in nodules of legumes, 15
Ustilago producing on tryptophane-free medium, 17
GÜSSOW, H. T., (359)
Gymnosporangium spp., apple infection and factors in control, 7
clavariaeforme, on dwarf juniper, fungicidal control, 983
clavipes, on dwarf juniper, fungicidal control, 983
fungicidal effectiveness on apple for, determination method, 7
globosum, on red cedar, fungicidal control, 983
juniperi-virginianae, on apple, varietal reactions to, 691
physiologic race, 693
on red cedar, fungicidal control, 983
resistant trees, 876

Hadromycosis, Verticillium-, hosts among ornamentals, 1054
HAMILTON, J. M., 7, (545)
HANSEN, H. N., 166, 786, (790)
HANSING, E. D., 7
HANSON, E. W., 7, 8
Hardwoods, Cytospora chrysosperma in bark of, 460
HARE, JAMES F., 679
HARRAR, J. G., 8
HARRIS, HUBERT A., 625
HARRIS, M. R., 8
HARRISON, A. L., 86, 702
HART, HELEN, 8
HARTMAN, JOHN D., 8
HASKELL, R. J., (359)
HEALD, F. D., (638)
HEDGES, FLORENCE, 9
Helianthus annuus, powdery mildew, diurnal cycle of spore maturation, 65
Helminthosporium spp., foot and root rots of cereals and grasses due to, insect relations, 8
sativum, corn roots attacked by, 10
variation in, Bacillus mesentericus toxin inducing, 1017
turcicum, seed infection, control, 536
in sudan grass seed and glumes, 533
zeicola, corn disease due to fungus resembling, 25
Hemlock, western (See Tsuga heterophylla)
HENDERSON, R. G., 9
HENSON, LAWRENCE, 869
Heterodera marioni, bean stems and leaves attacked by, 710
control, by crop rotation, 710
by soil treatments, 711
on cotton, control by fallow vs. rotation, 709
on Nicotiana, resistance to, 4
plant infestations in Virginia, 708
plants resistant or tolerant to, analysis of data on, 711
on potato, field notes, 709
spread by pocket gopher, 711
on tobacco (Florida cigar-wrapper), control by fallow vs. rotation, 709
on tomato, control by soil fumigation, 860
radicicola, resistance to, breeding technique, 708
on Nicotiana, 708
HEUBERGER, JOHN W., 9, (11), (545), 840
HEWITT, J. LEE, 787
HILDEBRAND, E. M., 9, 10
Hill, Lawson Merrill, biographical note, 377
HILLEGAS, ARTHUR B., 10
HO, WEN-CHUN, 10
HODSON, A. C., (227)
HOFFMANN, CLARENCE H., (701)
HOFFMASTER, DONALD E., 10
HOLMES, FRANCIS O., 456
HOLST, EUGENE C., (881)
Honeylocust, common (See Gleditsia triacanthos)
Hops, downy mildew, epidemiology and control, 16
sporulation injury, 28
Hordeum spp., Ustilago bullata infecting, 991

Ustilago striaeformis infecting (exp.), 117
HORSFALL, JAMES G., (9), 11, (360), (361), 545
Host-parasite relations, of Ditylenchus dipsaci var. amsinckiae, 44
nutritional factors in Phymatotrichum infection, 1038
Hotbeds, for pea breeding work in southern U.S.A., 155
HOWARD, F. L., 11
HOWITT, J. E., 879
HUBER, GLENN A., (785), 787
HUMPHREY, H. B., 356
HUTCHINS, LEE M., 11
Hybridization, of Puccinia, 693
of Ustilago, 101, 387
Hydrogen-ion concentration, effect on damping off fungi, 563
as influenced by virus infections, 5
Hyperauxony, of nodules in legumes, 15
Hypochaeris radicata, stem-and-bulb nematode on, ecological specialization, 50
Hypomyces ipomoeae, origin and inheritance of M and C types in, 787

IMLE, E. P., 11
Immunization, in animals vs. plants, 679
tobacco, from curly top, 673
Impatiens pallida, Pythium paroecandrum infecting rootlets of, 203
Inbreeding, effect on sectoring in fungi, 385
Inclusion bodies, "viroplast" as term for, 788
Incubating can, for field and laboratory, 447
Infections, bacterial, role of stomata and wind-blown rain in, 5
host permeability role, 24
pine crown-, in artificial vs. natural stands, 28
Inheritance, barley, powdery mildew resistance, 24
bean, powdery mildew resistance, 786
rust resistance, 786
in Fusarium, M and C types, 787
in Hypomyces, M and C types, 787
in Puccinia, 693
in rice, Cercospora resistance, 1041
in Ustilago, 101, 381
in Venturia, 452
Inoculation technique (See under Technique)
Insecticide, Nico-fume, chrysanthemum injury by, 539
sodium selenate, for red spider and aphids in greenhouse, 274
Insects, migration compared to diffusion, 7
Insects as vectors, aster-endive-lettuce yellows, by leaf hoppers, statistical study, 16
aster yellows, by leaf hoppers, 1049
mechanical transmission to leaf hoppers, 2
blue-stain Ceratostomella, by bark beetles, 976
cabbage necrotic virosis, by aphids, 15
carnation central bud rot, by mites, 856
corn bacterial stalk rot, by Diabrotica, 1
crucifer mosaic, by green peach aphid, 340
Dutch elm disease, by smaller European elm-bark beetle, 15
of foot and root rots of cereals and grasses, 7
of fungi in pine sapwood, bark-beetle association, 884
pineapple yellow spot, by thrips, 281
potato yellow dwarf, by leaf hoppers, factors in, 7
sugar beet curly top, by leaf hoppers, as influenced by reaction of body fluids, 433
virus strains separated by, 786
of tobacco streak, 438
virus multiplication in, 2
Iodine, effect on Penicillium spores, 646
Irradiation(s), effect on sectoring in fungi, 383
ultraviolet, effect on bacterial pathogenicity, 6
Isolation, single-spore, apparatus for, 695
soil fungi, technique, 1055
IVANOFF, S. S., 343

JACKSON, L. W. R., 183, 563
JAGGER, IVAN C., 53, 427
Jagger, Ivan Claude, biographical note on, 376
"Jaunisse," sugar-beet virus disease, cellular effects, 5
JENKINS, ANNA E., (10), 12
JENSEN, J. H., (368), (369)
JODON, N. E., (1041)
JOHANN, HELEN, 979
JOHNSON, A. G., 357
JOHNSON, E. M., 12, 73, 697
JOHNSON, H. W., 12, 620
JOHNSON, JAMES, 12, 13
JONES, LEON K., 527, 539, 540
Juglans spp., Cytospora chrysosperma in bark of, 460
nigra, banana nematode infesting roots, 710
regia, bacterial blight, filbert blight compared, 713
control by Bordeaux vs. "insoluble" copper fungicides, 788
Juniper, dwarf (See Juniperus communis)
Juniperus communis, Gymnosporangium rusts on, fungicidal control, 983
virginianae, Gymnosporangium rusts on, fungicidal control, 983
rust resistance in, 876

KADOW, KENNETH J., (361)
KAVANAUGH, FREDERICK, (10)
KEITT, G. W., 13, (359), 374, 452, (452)
KENT, GEORGE C., (26), (90)
KERNKAMP, M. F., 13
KIENHOLZ, J. R., 787
KIME, P. H., 710
KIMMEY, J. W., 80
KINCAID, RANDALL R., 709

KING, C. J., 704, 709, (679)
KINGSOLVER, C. H., 13, 17, (808)
KIRBY, R. S., 353, (359), (361)
KLOTZ, L. J., 14
KOEHLER, BENJAMIN, 14
KOUBA, T. F., (20)
KREITLOW, K. W., 14
KREUTZER, W. A., (769), 951, 972

LAMMERTS, W. E., 334
LANGFORD, M. H., (13), 452, (452)
Larkspur, Verticillium infection, 1054
LARSON, R. H., 15
LASKARIS, THOMAS, 15
Laws, regulatory, on fruit-tree viruses, 787
LEACH, J. G., 15, 227
LEACH, L. D., 788
Leaf blights, Cercospora, of carrot and celery, 28
  fig, control, 25
Leaf-casting virus, of cherry and peach, 790
Leaf curl, peach, diurnal cycle of, 28
  tobacco, virus nomenclature, 827
  white clover Olpidium, 2
Leaf hoppers, aster-yellows virus mechanically transmitted to, 2
  as vectors of: aster-endive-lettuce yellows, statistical study, 16
    aster yellows, 1049
    potato yellow dwarf, factors in, 7
Leaf mold, tomato Cladosporium, 1
Leaf roll, potato, net necrosis relation, 315
Leaf spot(s), aroid Cephalosporium, 968
  cherry, 24
    Coccomyces-induced, 873
  citrus areolate Corticium, 119
  cotton angular-, 679
  of Italian prunes, virus origin(?), 347
  peach bacterial-, 88
  peanut Cercospora, 706
  rice Cercospora, 21, 1041
  Sansevieria Fusarium, 527
  sugar beet Cercospora, 659
  tobacco angular-, 12
  tomato Septoria, 9
LEFEBVRE, C. L., (12), (620)
Legumes, bean inoculations with extracts from healthy, 12
  hyperauxony of nodules of, 15
  phyllody on, significance, 785
  ring spot of alsike clover in spp. of, 789
LEHMAN, S. G., 705, 847
Lenzites betulina, apple wood decay by, 940
LEONARD, O. A., (659)
LESLEY, J. W., (760)
Lespedeza, powdery mildew of spp. and strains, 620
Lethum australiense, tobacco infection by, 826
Lettuce, brown blight (cause unknown), 53
  downy mildew, 427
  pineapple yellow-spot virus infecting (exp.), 289
  root girdle induced by high wind, 6
  yellows, dissemination and leaf-hopper vector, statistical study, 16
LEUKEL, R. W., 274
LEWIS, F. H., (3)
LEWIS, RALPH W., 623
Liatris, Verticillium from, 25
Lightning injury, to black locust seedlings, 183
Lilium spp., cucumber virus in, 250
    Fusarium bulb disease of, 11
    tulip virus in, 250
  longiflorum, brown scale due to Vermicularia (?), 19
    cucumber virus in, 250
    cucumber virus-1 symptomless passage in, 171
    tulip virus in, 250
Lily, bulb disease due to Fusarium spp., 11
  cucumber virus in, prevalence, 250
  Easter (See Lilium longiflorum)
  -latent virus, separation from tulip virus-1, 788
  McWhorter's latent virus of, cucumber virus-1 association with, 171
  tulip virus in, prevalence, 250
Lime, effect on soil rot of sweet potato, 8
Lime sulphur fungicides (See Fungicides, sulphur)
LINDGREN, R. M., (361)
LINFORD, M. B., 15, 348
LING, LEE, 338, 345, 579, 926
LINK, G. K. K., 15, (17)
LINN, M. B., 16, 968
Locust, black (See Robinia pseudoacacia)
  common (See Robinia pseudoacacia)
LOEGERING, W. Q., (22)
Longevity (See Viability)
LONGRÉE, KARLA, 451, 981, 793
Lychnis alba, Corticium galactinum infecting, 145
Lycopersicum spp., big bud, graft transfer and relationships, 785
  chilense, curly-top resistance, 280
  pimpinellifolium, leaf mold fungus strain virulent for, 1
Lysins (See Bacteriophages)

MCCALLAN, S. E. A., 16, 361
MCCUBBIN, W. A., (359)
MACLACHLAN, J. D., (515)
MCLEAN, RUTH A., 16, (213), 264, (485), 495
MCNEW, GEORGE L., 244
MCWHORTER, F. P., (369), 788, (788)
McWhorter's latent lily virus, cucumber virus-1 associated, 171
Macrosporium sarcinaeforme, fungicidal assay by, 553
Macrosteles divisus, aster-yellows virus mechanically transmitted to, 2
  physiologic race, 1050
  as vector of: aster-endive-lettuce yellows, statistical study, 16
    aster yellows, 1049
MAGIE, ROBERT O., 16
Manures, organic, effect on cotton root rot, 704
Maple, Norway (See Acer platanoides)
  sugar (See Acer saccharum)
Marigold, African, Verticillium infection, 1054

Marmor, characterization as virus genus, 827
aucuba var. **canadense,** n. var. (= Canada streak virus), 444
medicaginis var. **solani,** n. var. (= potato calico virus), 446
var. **typicum,** n. var. (= alfalfa mosaic virus), 446
rubiginosum, n. sp., cherry virus- rusty mottle due to, 789
MARTIN, WM. H., (373)
MARTIN, W. J., 913
MARTLAND, J. G., (8)
Measles, apple, dieback association, 152
MEIER, AGNES E., 356
MELHUS, IRVING E., (26), (10), 90
Melilotus sp., phyllody on, 869
Phytophthora root rot, 700
alba, ring spot transferred from alsike clover to, 789
as tobacco streak host, 438
Mercurials, fungicidal (See Fungicides, mercurial)
Mercuric chloride, effect on Penicillium spores, 646
MEREDITH, CLIFFORD H., 1055
Microscope technique, miniature root-observation box, 348
Microsphaera diffusa, lespedeza spp. and strains infected by, 620
Microthyriella rubi, pathogenicity and hosts, 2
MIDDLETON, JOHN T., 709
Mignonette, Verticillium infection, 1054
Migration, insect, compared to diffusion, 7
MILBRATH, J. A., 592, 788
Mildew(s), barley powdery-, 3, 24
bean powdery-, 786
cereal powdery-, 3
cucumber downy-, 706
fungicidal action of sulphur vapors on, 791
hops downy-, 16, 28
lespedeza powdery-, 620
lettuce downy-, 427
onion downy-, 28
powdery-, diurnal cycle of spore maturation, 65
spinach downy-, 28
separation from other obligate parasites, 791
tobacco downy- (See Peronospora tabacina)
MILLER, PAUL R., 705
MILLER, P. W., 713, 788
MILLS, W. R., 17, 830
Mineral salts, effect on clubroot of crucifers, 19
Mites, as vectors of Fusarium poae, 856
Moist chambers, incubating can used as, 447
Monilia spp., pine sapwood-bark beetle association, 886
candida, ambrosia beetles associated with strains of, 235
Monilina **azaleae,** n. sp., azalea brown rot due to, 537
Monotospora sp., corn roots attacked by, 10
MOOK, P. V., (27)
MOORE, ELIZABETH J., (702), (704)
MOORE, M. B., 360
MOORE, W. C., 454
MORRIS, H. E., (784)
Mosaic, alfalfa, hosts (exp.), 444
relation to potato calico, 444
virus properties, 20
bean common-, association with Bacterium phaseoli, 9
variety resistant to, 779
crucifer, aphid transmission, 340
in China, 338
cucumber, alfalfa mosaic not related, 447
nomenclature, 823
transmission through dodder, 2
virus in lilies, 250
virus-1, cross inoculations and associations, 171
symptomless passage in lily, 171
tulip infection, 171
lettuce brown blight as (?), 59
in Nicotiana, resistance to, 4
peach, virus strains differing in pathogenicity, 11
Winters virus, graft transmission, persistence and migration, 790
potato calico-, control, 20
potato mild-, differentiation of components, 945
resistance to components A and X, 944
tobacco, virus, distribution in susceptible vs. resistant Burley, 25
infectivity of 14-year old, 697
multiplication as influenced by nitrogen nutrition, 22
thixotropic character of protein of, 6, 666
virus-1, culture trials on chick chorioallantois, 184
tomato infected by, 540
virus-4, increase and nitrogen changes in detached leaves, 790
tomato, seed transmission, 21
tulip, virus in lilies, 250
MOSES, C. S., 701
Mottle, cherry rusty-, new virus disease, 789
MOULTON, J. E., 17
MUNN, M. T., (359)
Murialba cucumeris, n. gen., and n. comb., (= cucumber mosaic virus), 823
venataenia, n. sp., (= veinbanding virus), 824
MURPHY, DONALD M., 779
MURPHY, H. C., 13, 17, 808
Musivum tabaci, n. gen. and n. comb. (= tobacco mosaic virus), 822
Muskmelon, wilt, organism compared to that of watermelon wilt, 10
Mustard, leaf-, mosaic, in China, 340
Mutants, virus-, nomenclature, 827
Mutation, in Helminthosporium, Bacillus mesentericus toxin inducing, 1031
in Ustilago, 388
Mycosphaerella pinodes, breeding for resistance to, methods for southern U.S.A., 155

Myriangiales, vitamin responses of spp., 10
Myrangium spp., vitamin responses, 10
Myzus persicae, as vector of mosaic of crucifer in China, 340

NAGEL, C. M., 659
NEAL, D. C., 705
Necrosis, potato net-, 787
Necrotic virosis (new), cabbage-, and hosts and vectors, 15
Needle cast, of Douglas fir, 649
Nematicide(s), ethyl mercury iodide as, 334
for soil treatment, 711
Nematode(s) (See also Ditylenchus; Heterodera; Pratylenchus)
banana-, hosts and distribution in U.S.A., 710
control by ethyl mercury iodide, 334
meadow- (See Pratylenchus pratensis), 710
onion bulb rot or bloat due to, 18
onions infested by spp., 396
pine bark beetle infested by, 8
reniform (new genus of Tylenchidae), as root parasite, 15
report of National Council on, 711
root knot- (See Heterodera marioni; H. radicicola)
root rot associations, 708
stem-and-bulb-infesting- (See Ditylenchus dipsaci var. amsinckiae)
Nephthytis afzelii, Cephalosporium leaf spot, and control, 968
Net necrosis, potato-, in Maine, 313
in Washington State, 787
NEWHALL, A. G., 17, 18, (369), 373, 390
Nico-fume, chrysanthemum fumigation injury by, 539
Nicotiana spp., cucumber mosaic in, transmission through dodder, 2
disease resistance and inheritance in, 4
new cabbage virosis inoculated to, 15
pineapple yellow spot virus infecting (exp.) 289
root-knot resistance in, 708
glutinosa, alfalfa mosaic infecting, 444
potato calico infecting, 444
NIEDERHAUSER, J. S., 691
NIELSEN, L. W., 18
Nigrospora spp., corn attack by, control by drying of seed, 14
NIKITIN, A. A., 18
Nitrogen, effect on: clubroot of crucifers, 19
virus multiplications, 22
NIXON, E. L., (361)
Nodules, legume root-, hyperauxony of, 15
Nomenclature (See Taxonomy)
NUGENT, T. J., 4

Oak, red, Geotrichum pink stain (exp.) on, 533
white, fly-speck fungus of apple on, 2
Oats, covered smut, physiologic races, determination problems, 24
crown rust (See Puccinia coronata; P. c. avenae)
loose smut, physiologic races determination problems, 24
Pythium infection and varietal reactions, 27
smuts, physiological race problems, 900
Oidium euonymi-japonici, spore maturation, diurnal cycle of, 66
Olive, banana nematode infesting roots, 710
OLIVEIRA, JULIETTE M., (15)
Olpidium trifolii, differentiation from Urophlyctis trifolii, 2
on white clover in Louisiana, 2
Onion, downy mildew, sporulation injury, 28
nematode rot or bloat, 18
cause, distribution and control, 390
nematode spp. infesting, 396
smut, seed treatment for, 17
Ophiobolus graminis, growth as influenced by alkaloids, 478
OPIE, ROBERT S., (611)
Orange, navel-, endrot incidence, 789
Orchard fruit trees, bark roughening in, 790
disease prevalence and destructiveness in Iowa (1850–1937), 22
virus graft transmission, persistence and migration in, 790
viruses vs. regulatory laws, 787
wood distortion in, 790
Ornamentals, bulbous, diseases, book review, 454
OTERO, J. I., 454
Ovulinia, n. gen., segregate from Sclerotinia, 242
azaleae, n. sp., flower blight of azaleas and rhododendrons due to, 243

Paeonia (See also Peony)
moutan (See P. suffruticosa)
suffruticosa, wilt, Coniothyrium spp. causing, 8
PALMITER, D. H., (10), 18
Panicum dichotomiflorum, buff smut due to Sorosporium mutant (?) on, 12
Papavar orientale, Verticillium infection, 1054
Paradichlorobenzene, effect on tobacco vs. fungi, 219
fungicidal and toxic values, determination, 489
as host-penetrating fumigant, 494
in tobacco downy mildew control, in seedbeds, 16, 495
toxicity relations and factors influencing, 485
-vapor concentration, estimation, 488
Parasites, obligate, separation method, 791
Parasitism, nutritional relationship in Phymatotrichum, 1038
permeability change significant in, 24
PARKER, K. G., (29), (322)
PARRIS, G. K., 299
Pathogenicity, bacterial, ultraviolet light effects, 6
Phytophthora, adaptive changes, in, 17
virus strains differing in, 11

Pathogens, plant-, effect on permeability of host cells, 24
Pathology, plant- (See Phytopathology)
Pea, Austrian field-, breeding for disease resistance, methods for southern U.S.A., 155
root rot, etiology and general study, 708
Septoria pisi scald, 542
garden, germination of seed, bacterial reduction, 790
hyperauxony of nodules of, 15
Peach, bacterial leaf spot, atypical form, 88
bacterial spot, nitrogen fertilization effects, 706
crown gall in nursery, factors influencing and control, 417
leaf-casting yellows, virus etiology and comparisons, 322
mosaic, Winters virus, graft transmission, persistence and migration, 790
virus strains differing in pathogenicity, 11
Phomopsis constriction disease, 963
Taphrina leaf curl, diurnal cycle, 28
"X" disease, leaf-casting yellows compared, 324
yellow-red or X-disease, symptoms, hosts and control, 10
Peach aphid, as vector of cabbage necrotic virosis, 15
Peanut, Cercospora leaf spots, fungicidal control, 706
Pear, -blight (See Fire-blight)
Phomopsis infection, 965
stony-pit symptoms and virus relations, 787
Pecan, Phymatotrichum root rot, incidence and fungicidal control, 789
rosette, control by spraying, 704
scab, control by spraying, 704
Pediculopsis graminum, symbiosis with Fusarium, 859
as vector of Fusarium poae, 856
Pelargonium hortorum, Verticillium infection, 1054
PELTIER, GEO. L., (372)
Penicillium spp., association with smaller European elm-bark beetle, 15
corn attack by, control by rapid drying of seed, 14
on cotton seedlings, incidence, 708
in pine sapwood-bark beetle association, 886
expansum, toxicity of chemicals to spores of, 638
oxalicum, corn roots attacked by, 10
Peony, anthracnose, 409
Cladosporium stem spot, other fungi associated, 412
symptoms, varietal reactions and control, 409
Pezizella lythri infection, 413
tree-, Coniothyrium wilt, 8
Pepper, bell-, pineapple yellow spot virus infecting (exp.), 289
Phytophthora capsici from, sexual relations, 951
Permeability, parasitism role, 24
Peronospora destructor, sporulation injury by, 28
effusa, sporulation injury by, 28
tabacina, control by paradichlorobenzene, factors influencing, 485
in seedbeds, 16, 495
vapor concentration test, 19
as influenced by volatile fungicides, 213
Nicotiana resistance to, 4
sporangial proliferation, 264
weather relations to infection, history of, 684
PERSON, L. H., 19, 913
Petry, Edward Jacob, biographical sketches, 379, 989
portrait, 989
PETTY, M. A., (13)
Petunia, host of new cabbage virosis, 15
pineapple yellow spot virus infecting (exp.), 289
Pezizella lythri, peony stem-spot association, 412
Phaseolus vulgaris, powdery mildew of, diurnal cycle of spore maturation, 66
Phenates, effect on Penicillium spores, 640
Phloem necrosis, elm-, epidemiology and graft transmission, 23
Phlox drummondii, damping-off, control, 335
Verticillium infection, 1054
paniculata, Verticillium infection, 1054
Pholiota adiposa, apple wood decay by, 940
Phoma sp., delphinium (perennial) disease due to, 15
betae, damping-off by, seed treatments and factors influencing, 788
lingam, permeability role in parasitism, 24
persicae, as Phomopsis form, 966
Phomopsis sp., fruit trees infected by, 965
of peach constriction disease, Diaporthe as perfect stage, 967
Phoma persicae as form of, 966
vaccinii, Diaporthe vaccinii as perfect stage of, 441
Photoperiod, methods for pea breeding in southern U. S. A., 155
Phycomycete(s), raspberry root disease due to, 791
in soil, isolation technique, 1055
Phyllody, on legumes and vegetables, significance, 785
tomato big-bud type, hosts, 868
Phymatotrichum omnivorum, on cotton, factors influencing seedling infection, 702
as influenced by organic manures and residues, 704
resistance, field tests, 704
in seedlings, mechansim, 1033
survival on roots as influenced by girdling and topping, 704
susceptibility as influenced by age, 704
growth, as influenced by alkaloids, 475
response to inorganic nitrogens, 703
pathogenesis mechanism, 707

pecan root rot due to, incidence and fungicidal control, 789
pH relations, 703
resistance to, basis, 475
serological relationships to other fungi, 4, 130
Physalis alkekengi, Verticillium infection, 1054
Physiologic races, of Actinomyces scabies, 21, 699
of Bremia lactucae, 427
of Cercospora oryzae, 21
of Cladosporium fulvum, 1
ecological relations, 911
of fungi, origin by mutation, 432
of Gymnosporangium juniperi-virginianae, 693
of leaf hopper, 1050
of Puccina coronata avenae, 13
of Puccinia graminis tritici, 22, 695
of Uromyces appendiculatus, 786
of Ustilago avenae, 24, 900
of Ustilago bullata, 991
of Ustilago levis, 24, 90
of Ustilago striaeformis, 93
Physiological yellow leaf, of sour cherry (See also under Chlorosis), 13
Physiology, plant-, terminology, German-English book on, review, 351
Phytomonas (See also Aplanobacter; Bacterium)
spp., viability as influenced by reducing substances, 1
cerasi, synonym of P. syringae, 27
corylina, n. sp., filbert bacteriosis due to, 732
juglandis, compared to P. corylina, 713
walnut bacteriosis control by Bordeaux vs. "insoluble" copper fungicides for, 788
lapsa, n. sp., stalk rot of field corn due to, 1
malvacearum, overwintering on cottonseed in field, 679
medicaginis var. phaseolicola, infection as influenced by temperature and humidity, 258
phaseoli, infection as influenced by temperature and humidity, 258
prunicola, synonym of P. syringae, 27
stewartii, infection as influenced by virulence and by host age, mechanism, 244
virulence, nitrogen relations, 248
wilt induction by Erwinia tracheiphila vs., mechanism, 625
syringae, accepted name for P. cerasi, P. utiformica and P. prunicola, 27
tumefaciens, pathogenicity, ultraviolet irradiation effects, 6
peach nursery infection, factors influencing and control, 417
utiformica, synonym of P. syringae, 27
Phytopathogens, bacterial, viability as influenced by reducing substances, 1
PHYTOPATHOLOGY, errata for Vol. 29, 380
errata for Vol. 30, 1056
Phytopathology, bacteriophages in, origin and significance, 24
cellular, in sugarcane red rot, 5
of virus infections, 5
classification and nomenclature of Bacillus spp. infecting plants, 26
diseases of bulbous plants, book review, 454
of economic crops in Antilles, review, 454
elements, review of book, 90
incubating can for studies in, 447
terminology, German-English book on, review, 351
viruses, review of handbook, 456
Phytophthora cactorum, on corn roots, 10
maple bleeding canker due to, and control, 11
sweetclover root rot due to, 700
cambivora, maple disease due to fungus of group, 19
capsici, cucumber and tomato fruit rots due to, 972
cucurbit wilt due to, 975
morphology and physiology of strains, 956
oospore formation in strains, sexual relations, 951
citrophthora, cultural and life history studies, 14
infestans, biological specialization in, 838
permeability role in parasitism, 24
potato tuber and foliage infection, resistance in varieties and seedlings, 733
resistance of potato to, nature, 741
on tomato, control by spraying, 9
origin of strains, 830, 837
virulence, adaptive changes in, 17
as influenced by host passage, 833
lateralis, n. sp., Chamaecyparis disease due to, 788
megasperma, on sweetclover, nonpathogenicity, 700
Picea glauca, Polyporus decay, 957
mariana, Geotrichum pink stain (exp.), 533
Polyporus decay, 957
PIERSTORFF, A. L., (359)
PINCKARD, J. A., 16, 19, (213), (368), (369), 485, (495)
Pine bark beetle, fungus parasite of, 8
Pine, Jack (See Pinus banksiana)
loblolly- (See Pinus taeda)
red- (See Pinus resinosa)
shortleaf- (See Pinus echinata)
western white- (See Pinus monticola)
western yellow- (See Pinus ponderosa)
white, blister rust (See Cronartium ribicola)
Pines, crown infection susceptibility in artificial vs. natural stands, 28
Geotrichum pink stain of, 530
Pineapple, yellow-spot virus, hosts, 287, 306
identity with spotted-wilt virus, 281, 299
Pink stain, of wood, Geotrichum causing, 530
Pinus spp., crown infection in artificial vs. natural stands, 28

Geotrichum pink stain by, 530
banksiana, Polyporus decay, 957
echinata, Ceratostomella infection following bark beetles, 976
killing by Ceratostomella-bark beetle association, 881
pine-bark beetle larvae on, biological control, 8
sapwood microflora-bark beetle association, 884
monticola, blister rust on, mycelial extent beyond cankers, 611
seasonal fluctuations in canker growth, 80
ponderosa, damping-off as influenced by Al-ions, 573
as influenced by pH, 569, 571
growth, as influenced by Al-ions, 576
as influenced by pH, 569, 573
resinosa, Polyporus decay, 957
strobus, blister rust (See Cronartium ribicola)
taeda, Geotrichum pink stain (exp.), 533
PIRONE, P. P., 19
Pisum arvense, breeding for disease resistance, methods for southern U. S. A., 155
root rot, etiology and general study, 708
Septoria pisi scald of, 542
"Pit," sweet-potato-, Actinomyces ipomoea causing, 19
PLAKIDAS, A. G., 19
PLAKIDAS, A. J., (*i.e.*, A. G.), 706
Planetree (See Platanus)
Plants, allergic (?) reactions in, 12
bacteriophages in, origin and significance, 24
diseases of (See Diseases, plant; Phytopathology; and specific entries)
German, English, and Latin names listed, book review, 351
specimen-envelope folder for, 278
viruses and virus disease, book review, 349
Plasmodiophora brassicae, as influenced by mineral nutrients, 19
reduction of infection at transplanting by $HgCl_2$, 26
Platanus acerifolia, Ceratostomella disease, 27
occidentalis, Ceratostomella disease, 27
Plum, Phytomonas syringae on, 27
Podosphaera leucotricha, spore maturation, diurnal cycle of, 65
Polyporus spp., apple wood decay by, 940
circinatus, hosts, histopathology of infection, morphology and cultural characters, 957
POOLE, R. F., 706
POPE, SETH, (29)
Populus spp., chlorosis, ferric phosphate treatment, 23
Cytospora chrysospermia in bark of, 460
tremuloides, ambrosia beetles and associated fungi on, 227
Portrait, Petry, Edward Jacob, 989
Stone, Elisha Roland, 880
Potash, effect on cotton wilt, 707
Potassium, apple deficiency diseases in relation to, 153
effect on clubroot of crucifers, 19
dichromate, effect on Penicillium spores, 646
-mercuric iodide, effect on Penicillium spores, 646
Potato, alfalfa mosaic infecting, 445
aster yellows infecting, and leaf-hopper transfer, 1049
calico, hosts (exp.), 444
relation to alfalfa mosaic, 444
diseases, prevalence and destructiveness in Iowa (1850–1937), 22
Fusarium infection, virulence of spp. and vars., 162
late blight, adaptive changes in virulence, 17
-fungus as influenced by tomato passage, 833
resistance of tubers vs. leaves in varieties and seedlings, 733
leaf roll, net necrosis as symptom of, 315
mild mosaic, differentiation of components, 945
resistance to components A and X, 944
net necrosis, incidence and symptoms, 787
and stem-end browning of tubers in Maine, 313
pineapple yellow-spot virus infecting (exp.), 289
root knot on, field notes, 709
ring rot spread and control, 23
ringspot, alfalfa mosaic not related, 447
scab, cultural and physiologic races of organism of, 21
pathogenicity test method for isolates, 5
pH tolerance of organism of, 699
seed-piece rot, Fusarium oxysporum causing, 181
seed- and soil-borne diseases, control, 20
-stem dry rot, Fusarium solani causing, 160
Verticillium from, 25
virus-Y, cellular effects, 5
yellow dwarf, dissemination by leaf hopper and factors in, 7
Pox, sweetpotato, Actinomyces ipomoea causing, 19
tomato fruit-, cause unknown, 343
Pratylenchus musicola, hosts and distribution in U. S. A., 710
pratensis, cotton Fusarium-wilt relation, 710
distribution, 710
PRICE, W. C., (444)
Prickly-ash (See Xanthoxylum americanum) 2
Protein, virus-, thixotropic character, 6
Prune, Italian, leaf spot of virus origin (?), 347
Prunus spp., viruses of, graft transmission, persistence and migration, 790
cerasus, bud-transmissible chlorosis (new), 13

fruit color, quality, and size as influenced by sulphur and copper sprays, 28
leaf spot, control by piece-root grafting, 873
spray program for, 24
serotina, Sclerotinia blight of, 89
virginiana, yellow-red disease of peach infecting, 10
PRYOR, DEAN E., 19, 26
Pseudomonas (See Aplanobacter; Bacterium; Phytomonas)
Pseudoperonospora cubensis, on cucumber, control by fungicides, 706
humuli, overwintering, infection and control, 16
sporulation injury by, 28
Pseudotsuga spp., bacterial galls on, 624
douglasi (See also P. taxifolia)
damping-off, as influenced by: Al-ions, 573
pH, 569, 571
growth, as influenced by: Al-ions, 576
pH, 569, 573
macrocarpa, bacterial galls (exp.) on, 624
taxifolia (See also P. douglasi)
needle cast associated with Adelopus gaümanni on, 649
Puccinia coronata, control by sulphur dust, 3
avenae, degree of infection, estimation methods, 810
effect on oats lodging, yield, and weight, 17, 808
physiologic-race determination in, 13
graminis, effect on permeability of host cells, 24
hybridization, aberrant telial collections from, 693
tritici, new race, 695
physiologic races, population trends (1930–39), 22
spore-like bodies from haustoria and hyphal tips, 8
teliospores, unseasonable germination, 689
rubigo-vera tritici, control by sulphur dust, 3
Pyrogallol, effect on bacterial viability, 1
Pythium spp., flax-soil sickness in relation to, 756, 759
as influenced by H- and Al-ions, 563
isolation from soil, technique, 1055
root rot of Austrian winter peas and vetches due to, 708
dabaryanum, corn roots attacked by, 10
oats infected by, 27
dissotocum, hosts, 190
morphology, cytology, and life history, 189
graminicola, corn roots attacked by, 10
paroecandrum, hosts, 203
morphology, cytology, and life history, 202
periilum, morphology, cytology, and life history, 198
ultimum, damping-off by, seed treatment factors influencing, 788
Quarantines, for fruit-tree viruses, 787
Quercus alba, fly-speck fungus of apple on, 2
borealis, Geotrichum pink stain (exp.) on, 533
Radish, Chinese-, mosaic, 340
Rain, effect on apple scab outbreak in storage, 174
wind-blown, role in bacterial infections of stomata, 5
Rainwater, Ceratostomella ulmi isolated from, 30
RAND, FREDERICK V., 372
RANDS, R. D., (359)
RANKIN, H. W., (368)
Rape, mosaic, in China, 340
Raspberry, phycomycetous root disease, incidence, injuries, and control, 791
RAWLINS, T. E., 185, (322)
Red rot, sugarcane, cellular reactions, 5
Red stem spot, peony Cladosporium, 409
Red spider, on sorghum in greenhouse, control by selenized soil, 274
REDDICK, DONALD, 363
REDDY, CHARLES S., 20
Reducing substances, effect on bacterial viability, 1
REEVES, E. L., 789
Regulatory laws, on fruit-tree viruses, 787
REINKING, OTTO A., 351
REMSBERG, RUTH E., 178
Report, American Phytopathological Society, annual meeting (1939), 352
Southern Division, annual meeting (1940), 702
Resistance, apple, to cedar rust, 691
barley, to powdery mildew, 24
bean, to curly top, 786
to powdery mildew, 786
to rust, 786
chrysanthemum, to Verticillium wilt, 25
cotton, to Fusarium wilt, 705
to Fusarium wilt-nematode complex, 710
to Phymatotrichum, 704, 1033
elm, to Dutch elm disease, 1052
lettuce, to brown blight, 60
to downy mildew, 427
Nicotiana spp., to diseases, 4
to root knot, 708
oats, to Pythium, 27
pea, Austrian Winter field-, to diseases, 155
peony, to Cladosporium paeoniae, 416
to Phymatotrichum omnivorum, basis, 475, 1038
pines, to crown infections, 28
to plant diseases, alkaloid role, 475
bacteriophage role, 24
permeability relations, 24
potato, to late blight, 733
to mild mosaic components A and X, 944
red cedar, to rust, 876
rice, to Cercospora leaf spot, 21, 1041
to root knot, 708, 711

rye, to stem smut, 926
tobacco, to curly top, 673
to mosaic, 25
tomato, to blossom-end rot, 28
Chilean-, to curly top, 280
to Fusarium wilt, 86, 760
to leaf mold, 1
to Verticillium wilt, 760
tulip, to anthracnose, 790
Vicia spp., to root rot, 708
wheat, to loose smut, 3
white pine, to blister rust, 20
Resorcinol, effect on bacterial viability, 1
Respiration, virus effects on, 5
Reviews, book, diseases of bulbous plants, 454
diseases of economic plants in Antilles, 454
German-English science dictionary, 91
phytopathology elements, 90
plant viruses and virus diseases, 349, 456
vegetable crops, 543
monograph on Septobasidium, 186
Rhabdospora, bindweed disease due to, 778
Rhizoctonia sp(p)., on cotton seedlings, incidence, 708
flax soil sickness association, 756, 759
on potato, control, 20
root rot association, 708
solani, corn roots attacked by, 10
on cotton seedlings, control by seed treatment, 705
damping-off by, seed treatments and factors influencing, 788
growth as influenced by alkaloids, 478
as influenced by H- and Al-ions, 563
soil infestation, cotton infection vs. seed treatment, 847
Rhododendron spp., maple Phytophthora infecting, 19
Ovulinia flower blight, 236
Sporocybe bud and twig blight, fungus studies, 506
canescens, Monilina brown rot, 537
roseum, Monilina brown rot, 537
Rhus glabra, Corticium galactinum infecting, 145
fly-speck fungus of apple on, 2
Rice, Cercospora leaf spot, resistance inheritance, 1041
resistant varieties, 21
RICH, AVERY E., (313)
RICH, SAUL, 789
RICHARDS, MATHIAS C., 328
RICHTER, HAROLD, (351)
RIGLER, NEIL E., (475)
RIKER, A. J., (6), 20, 361
Ring rot, potato, spread and control, 23
Ringspot, alsike clover-, leguminous hosts, 789
potato, alfalfa mosaic not related, 447
on sweetclover, 789
tobacco broad-, new virus and hosts, 13
virus, nomenclature, 824
ROBERT, ALICE L., 276
ROBERTS, JOHN W., (361), 963
Robinia pseudoacacia, lightning injury to seedlings, 183
RODENHISER, H. A., (12), 20, (360), 400
Root disease, raspberry phycomycetous, 791
Root-knot nematode (See Heterodera marioni; H. radicicola)
Root nodules, legume, hyperauxony of, 15
Root rot(s) (See also Rots)
apple white-, Corticium galactinum causing, 139
of Austrian winter pea, 708
cereal and grass, insect relations, 7
Chamaecyparis Phytophthora, 788
cotton Phymatotrichum, 1033
cotton Thielaviopsis, 707
Phymatotrichum (See Phymatotrichum omnivorum)
Pythium spp. causing, general study, 189
sweetclover Phytophthora, 700
tobacco black- (See Thielaviopsis basicola)
of vetches, 708
Roots, girdling induced by high wind, 6
miniature observation box for, 348
reniform nematode (new) parasite of, and host range, 15
soil-inhabiting fungi attacking corn-, succession of, 10
Rose, Chalaropsis black mold of grafts, 793
Coniothyrium infection on leaves attacked by Diplocarpon, 451
powdery mildew, diurnal cycle of spore maturation, 65
Verticillium infection, 1054
Rosette, apple, comparison to dieback, 150
pecan, control by spraying, 704
ROSS, A. FRANK, 20
Rot(s) (See also Root rots)
apple blue mold-, 638
apple soft-, Trichoseptoria causing, 328
apple wood-, 936
azalea brown-, Monilina causing, 537
carnation central bud-, 853
celery Sclerotinia, 703
cereal foot- and root-, 7
Chamaecyparis Phytophthora crown-, 788
conifer Polyporus, 957
corn Diplodia dry-, 979
corn (field) bacterial stalk-, 1
cotton boll-, 705
cucumber Phytophthora fruit-, 973
dry-, host permeability relations, 24
grapefruit Alternaria storage-, 789
grass foot- and root-, 7
naval orange end-, 789
onion ellworm-, 18, 390
potato seed-piece-, Fusarium oxysporum causing, 181
potato stem dry-, Fusarium solani causing, 160
soft, host permeability relations, 24
stone fruit brown-, 785
sugarcane red-, 5
sweet potato Actinomyces, 913
sweet potato soil-, 8

tomato blossom-end-, 9, 28
tomato Phytophthora fruit-, 974
tomato stem-end-, 9
Rubus spp., Corticium galactinum infecting, 145
allegheniensis, fly-speck fungus of apple on, 2
RUDOLPH, B. A., (361)
Ruellia macrantha, nematode infestation, control, 338
RUNNELS, HARMON A., (25)
Rust(s), apple-cedar rust fungi (See under Gymnosporangium)
bean, 786
cereal (See under Puccinia) 3
fungicidal action of sulphur vapors on, 791
oats crown- (See Puccinia coronata; P. c. avenae)
quince, infection and control on apple, 7
on red cedar, 876, 983
separation from other obligate parasites, 791
wheat leaf- (See Puccinia rubigo-vera tritici)
wheat stem- (See Puccinia graminis; P. g. tritici)
white pine blister- (See Cronartium ribicola)
Rusty mottle, cherry virus disease (new), 789
Rye, flag smut, factors influencing fungus, 579
smut losses in U.S.A., 451
stem smut, histopathology in susceptible vs. resistant selfed lines, 926
RYKER, T. C., 21, 1041

ST. GEORGE, R. A., (976)
SAKIMURA, K., 281
Saliva, of sugar-beet leaf hopper, hydroxyl-ion concentration, 433
Salix, Cytospora chrysosperma in bark of, 472
nigra, fly-speck fungus of apple on, 2
Salpiglossis, Verticillium infection, 1054
Salsify, Verticillium wilt, 981
SAMSON, R. W., (8), 21
Sanguinaria canadensis, Pythium rootlet infection, 203
Sansevieria zeylanica, Fusarium leaf spot, 527
var. laurenti, Fusarium leaf spot, 527
Sassafras variifolium, fly-speck fungus of apple on, 2
Scab, apple (See Venturia inaequalis)
pecan, 704
potato (See Actinomyces scabies)
Scald, Austrian field pea Septoria, 542
veteh Septoria, 541
Scale insects, symbiosis with Septobasidium, 186
SCHAAL, LAWRENCE A., 21, 699
Schizophyllum commune, apple wood decay by, 940
SCHMITT, C. G., 381
SCHULTZ, E. S., 944
Science dictionary, German-English, review, 91
Sclerotinia sp., Ovulinia as generic segregate from, 236
camelliae, n. sp., flower blight of camellia due to, 170
wind-borne ascospores, 168
fructicola, apothecia, destruction by calcium cyanamid, 785
laxa, blossom infection of stone fruits, eradicant sprays for, 27
sclerotiorum, apothecial production in culture, 869
celery pink rot due to, control in muck soils, 703
seaveri, wild cherry blight due to, 89
trifoliorum, apothecial production in culture, 869
Sclerotiopsis concava, peony stem spot association, 412
Sclerotium bataticola, transmission from seed to seed, 4
rolfsii, growth, as influenced by alkaloids, 478
Scolytus multistriatus, Ceratostomella ulmi isolated from, 701
fungi associated, 15
Sectoring, in Aplanobacter colonies, 276
in Helminthosporium, Bacillus mesentericus toxininducing, 1018
in Ustilago, factors influencing, 381
Seed transmission, bacteria, by pea, 790
of corn infections, control by rapid drying, 14
of cotton diseases, 4, 679
of Helminthosporium turcicum, 533
of potato diseases, 20
of tomato mosaic, 21
of Ustilago striaeformis, 113
Seed treatment, bean, for bacterial blight, 14
cotton, for damping off, 706, 1051
for Rhizoctonia, 705, 847
for damping off, 4, 706, 788
graphite value in, 5
for Lima beans, 4
onion, for smut, 17
Sudan grass, for Helminthosporium, 536
sugar beet, for seedling diseases, 784
SEELEY, C. I., (774)
Segregation, of genetic factors in fungi, 388
Selenium compound, aphid control in greenhouse by soil application, 274
red spider control in greenhouse by soil application, 274
SEMENIUK, G., 21, 22
Septobasidium spp., distribution, 187
monograph, review, 186
Septoria lycopersici, tomato leaf spot due to, control by spraying, 9
pisi, Austrian field pea scald due to, 542
rubi, canker and die-back of boysenberry and youngberry canes by (?), 785
viciae, veteh scald due to, 541

Serology, fungus relationships determined by, 4, 130
SEVERIN, HENRY H. P., 1049
SHAPOVALOV, MICHAEL, 760
SHARVELLE, E. G., (4), (545)
SHAW, K. J., 710
SHAW, LUTHER, 359, 702, 706
SHEPHERD, D. R., 22
SHERBAKOFF, C. D., 707
SIEGLER, E. A., 417, 873
Silver compounds, fungicidal powers, 18
SIMMONS, J. E., (713)
SIMPSON, D. M., 707
Sitanion spp., Ustilago bullata on, 991
SLOWATA, STANLEY S., 272
Smilax hispida, fly-speck fungus of apple on, 2
SMITH, A. L., 707, 710
SMITH, CLAYTON O., 278, 624
SMITH, FLOYD F., (447)
SMUCKER, S. J., 1052
Smut(s), barley covered- (See Ustilago hordei)
barley loose- (See Ustilago nigra and U. nuda)
cereal, losses in United States from, 449
corn- (See Ustilago zeae)
grass stripe- (See Ustilago striaeformis)
oats covered- (See Ustilago levis)
oats loose- (See Ustilago avenae)
onion- (See Urocystis cepulae)
Panicum buff-, as mutation from Sorosporium syntherismae, 12
rye- (See Urocystis occulta)
wheat loose- (See Ustilago tritici)
wheat stinking- (See under Tilletia)
Snapdragon, Verticillium infection, 1054
Snow molds, of grasses and cereals, Typhula spp. causing, 178
SNYDER, WILLIAM C., (786)
SNYDER, W. S., (368)
Sodium hypochlorite, seed treatment by, for cotton Glomerella damping-off, 1051
selenate, aphid and red spider control in greenhouse by soil application, 274
thiosulphate, effect on Penicillium spores, 646
Soils, fumigation, for plant disease control by, 860
fungi inhabiting, succession attacking corn roots, 10
phycomycetous fungi in, isolation method, 1055
selenized, aphid and red-spider control on sorghum in greenhouse by, 274
steamed vs. nonsteamed, effect on corn infection by dry rot, 22
Soil borne diseases, lettuce brown blight, 57
maple Phytophthora, 19
of potato, 20
Soil rot, sweet potato-, 8
Actinomyces ipomoea causing, 19, 923
Soil sickness, of flax, 749
Sorbus, Cytospora chrysosperma in bark of, 473
Sorghum vulgare var. sudanense, Helminthosporium turcicum in seed and glumes, 533
Sorosporium syntherismae, Panicum buff smut due to mutant (?), 12
Sour cherry (See Prunus cerasus)
Soybean, Glomerella stem blight in China, 345
hyperauxony of nodules, 15
root knot on Laredo var., 708
Specimen-envelope folder, 278
SPENCER, ERNEST L., 22
Sphaceloma spp., in U.S.A., Guam, and Puerto Rico, 12
vitamin responses of, 10
Sphaerotheca pannosa, spore maturation, diurnal cycle of, 65
Spinach, downy mildew, sporulation injury, 28
host of new cabbage virosis, 15
pineapple yellow-spot virus infecting (exp.), 289
root girdle induced by high wind, 6
Spores, isolation of single, apparatus for, 695
diurnal maturation cycle in powdery mildews, 65
Sporocybe azaleae, life history, description, and relationships, 506
Spot, peach bacterial-, 706
Spotted wilt, tomato, identity with pineapple yellow spot, 281, 299
virus nomenclature, 826
SPRAGUE, RODERICK, 541
Spray injury, to tomato, reduction of, 9
Sprayer, for fungicidal assay, 546
Sprays, fungicidal, laboratory assay methods, 545, 1047
Spruce, black- (See Picea mariana)
white- (See Picea glauca)
Squash, phyllody on, 785, 869
Phytophthora wilt, 975
STAHEL, GEROLD, 119
STAHMANN, MARK A., 26
STAKMAN, E. C., 22, (359)
Stalk rot, field corn bacterial-, 1
STANLEY, W. M., (20)
STANTON, T. R., (808)
Staphylea trifolia, fly-speck fungus of apple on, 2
STARR, G. H., 23, (369)
Steaming, of soils, effect on infection by dry rot of corn, 22
STEINER, G., 710
Stem-end browning, potato tuber-, 313
Stem spot, peony Cladosporium, 409
STEVENS, NEIL E., (363), (372), 449, 684
STEVENSON, F. J., (733), (944)
STEVENSON, JOHN A., 368, 454, 453
Stocks, damping-off, control, 335
Stomata, role in bacterial infections, 5, 268
Stone, Roland Elisha, biographical sketches, 378, 879
Stone, Roland Elisha, portrait, 880
Stone fruits, Phytomonas syringae on, 27
Sclerotinia laxa blossom infection, eradicant sprays for, 27

viruses of, graft transmission, persistence and migration, 790
Stony-pit, pear, symptoms and virus relations, 787
Streak, tobacco-, sweetclover as host, 438
virus nomenclature, 826
STREETS, R. B., 789
Streptosolen jamesonii, nematode infestation, control, 338
STRONG, FORREST C., 983
Sugar beet (See also Beet)
black root, late form, 788
soil treatment by strip method, 785
Cercospora leaf spot, effect on composition and carbon assimilation, 659
curly top, cellular effects, 5
Chilean tomato resistant to, 280
transmission by leaf hoppers, factors influencing, 433
transmission through dodder, 2
virus, strains separated by leaf hoppers, 786
virulence and infection relations of strains, 786
"jaunisse" virus disease, cellular effects, 5
seedling diseases, control, by seed and soil treatments, 784
Verticillium wilt, general study, 769
Sugar cane, corn bacterial stalk rot infection of, 1
Pythium spp. from, general study, 189
red rot in, cellular reactions, 5
Sugar maple (See Acer saccharum)
Sulphur, fungicidal- (See under Fungicides)
soil application, effect on clubroot of crucifers, 19
Sulphur dioxide- formaldehyde, as fumigant for sweet-potato storage houses, 4
Sumac, smooth (See Rhus glabra)
Sunscald, tomato-, reduction of, 9
Supplements, fungicidal, 18
Susceptibility (See also Resistance)
cotton, to Phymatotrichum, 1033
pines, to crown infections, 28
to plant diseases, permeability relations, 24
to root knot, 711
rye, to stem smut, 926
tobacco, to mosaic, 25
Sweet pea, Verticillium infection, 1054
Sweetclover (See Melilotus)
Sweet potato, root-knot infestation, 708
soil rot, Actinomyces ipomoea causing, 19
general study, 923
as influenced by soil reaction, 8
storage-house fumigation, 4
SWINGLE, ROGER U., 23
Sycamore (See Platanus)
Symbiosis (See also Synergy)
mite-fungus, 859
Septobasidium- scale insect, book review, 186
Synergy (See also Symbiosis)
fungi with smaller European elm-bark beetle, 15
virus-bacterial, 9
Syngonium podophyllum var. albolineatum, Cephalosporium leaf spot and control, 968

TAKAHASHI, WILLIAM N., 184, 790
TALLEY, PAUL J., (703)
Taphrina deformans, diurnal cycle of, 28
TAPKE, V. F., 23
Taxodium distichum, Geotrichum pink stain (exp.), 533
Taxonomy, of Bacillus spp. infecting plants, 26
botanical, German, English and Latin names listed, book review, 351
fungus, note by committee on, 453
of viruses, phytopathogenic-, review of handbook, 456
tobacco-, 820
TAYLOR, A. L., 710
TAYLOR, CARLTON F., 24
TAYLOR, J. W., (20), (400)
Technical words, committee report and definitions, 361
Technique, for apothecial development in culture, 869
breeding methods for peas in southern U.S.A., 155
clubroot infection at transplanting reduced by $HgCl_2$, 26
culture media (See Culture media)
distributor, for fertilizers, 785
for fungicides, 785
for fumigant fungicides, 213
for fungicidal assay, 7, 16, 19, 545, 840, 1047
fungus growth rate, determination by photoelectric method, 702
fungus infection, detection by trunk sampling in trees, 521
incubating can for field and laboratory, 447
inoculation, for corn smut, 5
for pea breeding in southern U.S.A., 159
for viruses, carborundum powder used in, 185
isolation, apparatus for single spore-, 695
for soil fungi, 1055
joint controlled medication of host and parasite, 486
obligate parasites, separation, 791
pathogenicity tests, for Actinomyces isolates, 5
for Fusarium, 87
resistance to tomato Fusarium wilt, test method, 86
root-knot resistance breeding, 708
root-observation box, for microscopic studies, 348
for serological studies of fungi, 130
single-spore isolator, 695
specimen-envelope folder, 278
spore production method, for Cercospora apii, 623
virus separation, by cytological methods, 788

Temperature, effect on sectoring in fungi, 384
TENNYSON, GERTRUDE, 4
Terminology, botanical, German-English book on, review, 351
committee report on technical words and definitions, 361
TERVET, IAN W., (8), 24, 900
Tetranychus telarius, on sorghum in greenhouse, control by selenized soil, 274
Text books, phytopathology (See under Reviews)
THATCHER, F. S., 24
Thelephora sp., apple wood decay by, 940
Thiamin, responses of Myriangiales to, 10
Thielavia basicola, flax-soil sickness association, 759
Thielaviopsis basicola, cotton black root rot due to, 707
on Nicotiana, resistance to, 4
Thixotropy, of virus protein, 6
THOMAS, H. EARL, (148), (166), 322, 790
THOMAS, ROY C., 24, 602
THOMPSON, HOMER C., 543
Thread blight, fig-, control, 25
Thrips tabaci, as vector of pineapple yellow spot virus, 281
Thuja orientalis, Coryneum blight and control, 592
TIDD, J. S., 24
TILFORD, PAUL E., 25
Tilletia spp., wheat infection by, as influenced by: fertilizers, 8
environal factors, 20
levis, infection, environal factors, 400
tritici, infection, environal factors, 400
TIMS, E. C., 25
TISDALE, W. B., (359)
Tissue culture, of tobacco-mosaic virus, trials on chick chorioallantois, 184
Tobacco, bacterial leaf diseases, control in beds, vs. field infection, 12
Bacterium tabacum leaf infection, stomatal relations, 268
blackfire, experimental production, 73
broad ringspot, new virus and hosts, 13
cucumber mosaic in, transmission through dodder, 2
curly top in, passive immunization, 26, 673
transmission through dodder, 2
disease resistance and inheritance in, 4
downy mildew, control, by paradichlorobenzene, 19, 485, 495
by volatile fungicides, technique, 213
sporangial proliferation of fungus, 264
weather relations, history of, 684
Fusarium wilt, cotton organism identical, 1
as influenced by volatile fungicides, 219
mosaic, virus, distribution in susceptible vs. resistant Burley, 25
infectivity of 14-year-old, 697
multiplication as influenced by nitrogen nutrition, 22
thixotropic character of protein of, 6, 666
virus-1, culture trials on chick chorioallantois, 184
tomato infected by, 540
virus-4, increase and nitrogen changes in inoculated detached leaves, 790
root knot, on Florida, cigar-wrapper, control by fallow vs. rotation, 709
resistance to, 4
streak, sweetclover as host, 438
virus diseases, classification and nomenclature, 820
wildfire, stomatal role in infection, 5
Tomato, big bud, graft transfer and relationships, 785
symptoms, transmission and hosts, 866
blossom-end rot, varietal resistance tests, 28
curly top resistance in Chilean-, 280
disease control by spraying, 9
fruit pox, cause unknown, 343
varietal reactions, 344
fruit stripe, tobacco virus-1 causing, 540
Fusarium wilt, control by soil fumigation, 860
host permeability role, 24
resistance to, in Riverside var., 760
test method for, 86
growth cracks, reduction of, 9
late blight, virulence, adaptive changes in, 17
factors in, 830
leaf mold, resistant varieties susceptible to new strain, 1
mosaic, seed transmission, 21
Phytophthora fruit rot, 974
pineapple yellow spot virus infecting (exp.), 284, 306
quality maintenance by late spraying, 9
root knot, infestation, 708
soil fumigation for, 860
spotted wilt virus, identity with pineapple yellow spot virus, 281, 299
tobacco infection and nomenclature, 826
spray injury, reduction of, 9
sprays for, fixed copper, 9
sunscald, reduction of, 9
Verticillium wilt, resistance of Riverside var. to, 760
TOMPKINS, C. M., 185, 790
Tractus orae, n. gen and n. comb. for tobacco streak virus, 826
Tragopogon porrifolius, Verticillium wilt, 981
Trametes spp., apple wood decay by, 940
Trees, deciduous, chlorosis, ferric phosphate treatment for, 23
nursery, lighning injury to, 183
wood distortion in, 790
orchard, bark roughening in, 790
disease prevalence and destructiveness in Iowa (1850–1937), 22
virus graft transmission, persistence and migration in, 790
viruses vs. regulatory laws, 787
pine, crown infection in artificial vs. natural stands, 28

Septobasidium spp. on, monograph of genus, 186
Trichoderma lignorum, on corn roots, 10
pine sapwood- bark beetle association, 886
Trichoseptoria fructigena, apple soft rot due to, 328
pycnidial type, factors influencing, 332
Trifolium spp., alfalfa mosaic infecting, 445
potato calico infecting, 445
hybridum, ringspot, leguminous hosts, 789
transfer to sweetclover, 789
repens, leaf curl of, in Louisiana, 2
Urophlyctis galls of, in Louisiana, 2
Triphenylmethane dyes, effect on Penicillium spores, 642
TRUE, R. P., 272
Trypodendron betulae, on white birch, 231
fungi associated, 227
retusum, on aspen, 227
Tryptophane, auxin production by Ustilago on medium free of, 17
Tsuga heterophylla, Geotrichum pink stain (exp.), 533
TUCKER, C. M., (11), (368), (453)
Tulip, anthracnose, Gloeosporium thümenii f. tulipae causing, and varietal reactions, 790
mosaic virus, lily infection, 250
strong mottle virus, lily infection, 171
-virus-1, separation from lily latent virus, 788
Tulipa gesneriana var. darwinia, anthracnose of, 790
Turnip, mosaic, in China, 340
Tylenchidae, reniform root parasite as new genus of, 15
TYLER, JOSELYN, 711
TYLER, LEON J., 29
Typhula graminum, snow mold relation to, 180
idahoensis, snow mold of cereals and grasses due to, 178
synonymy, 178
itoana, snow mold of cereals and grasses due to, 178
synonymy, 179

ULLSTRUP, ARNOLD J., 25, (368), (369)
Ulmus, Dothiorella die-back, variation in fungus, 6
Dutch elm disease, detection by trunk sampling, 521
-fungus on bark beetles, isolation, 701
phloem necrosis, epidemiology and graft transmission, 23
americana, Ceratostomella ulmi infection, apparent recovery, 1052
factors influencing, 29
in stored wood, 272
Cytospora chrysosperma in bark of, 460
Verticillium from, 25
Ultraviolet light, effect on: bacterial pathogenicity, 6
sectoring in fungi, 383
Urocystis, status of generic name, 453
cepulae, seed treatment for control, 17
occulta, growth, factors influencing in culture, 579
histopathology in susceptible vs. resistant selfed lines of rye, 926
host-parasite relationships, 933
media for, 587
spore germination, factors influencing, 579
Uromyces appendiculatus, on bean, resistance inheritance, 786
physiologic races, 786
Urophlyctis trifolii, differentiation from Olpidium trifolii, 2
on white clover in Louisiana, 2
Ustilago avenae, infection by, factors influencing, 911
physiologic races, determination problems, 24, 900
bromivora, taxonomic status, 1014
bullata, host specialization in, 991
hordei, on barley, pre- and post-emergence factors in infection, 23
levis, infection by, factors influencing, 911
physiologic races, determination problems, 24, 900
lorentziana, taxonomic status, 1014
nigra, on barley, pre- and post-emergence factors in infection, 23
striaeformis, culture in agar media, 104
hosts, 94, 117
hybridization, 101
life history, 96
seed transmission, 113
variety reactions to, 112
f. **hordei**, n. f., monographic study, 93
tritici, wheat varietal tests with strains of, 3
zeae, auxin production on tryptophane-free medium, 17
chlamydospore formation, attempts to induce in vitro, 386
chlamydospore germination, variations in type in crosses vs. collections, 387
diploid nucleus, delayed reduction in promycelia, 622
growth as influenced by temp., 384
inheritance of growth type, sex, and color, 387
inoculation tests and reaction of inbred lines of corn to, 5
mutation in, 388
sectoring, as influenced by: inbreeding, 385
irradiation, 383
medium, 382
temp., 384
segregation in, 388
sporidial fusion in, cytological study, 3

VALLEAU, W. D., 12, 25, (73), 349, 438, 456, (697), 820, (869)
Valsa spp., taxonomy of genus, 459
sordida, growth, reproduction, parasitism and hosts, 459
taxonomy and relationships, 459
Vegetable crops, fixed copper sprays for, comparative values, 28

root girdle induced by high wind, 6
textbook review, 543
Veinbanding virus, nomenclature, 824
Venturia inaequalis, apple infection in storage, as influenced by rain, 174
histopathology, 26
eradicant fungicidal control, 13, 18
fungicidal effectiveness for, determination methods, 7
variability and inheritance in, 452
pirina, heterothallism in, 452
Vermicularia, Easter lily brown scale due to (?), 19
Verticillium sp(p)., hosts among ornamentals (including new), 1054
hosts of wilts induced by chrysanthemum form, 25
salsify wilt due to, 981
albo-atrum, growth as influenced by alkaloids, 478
resistance of Riverside tomato var. to, 760
sugar-beet wilt due to, general study, 769
Vetch(es), root rot, etiology and general study, 708
Septoria viciae scald of, 541
Viability, bacterial, as influenced by reducing substances, 1
Vicia spp., root rot, etiology and general study, 708
faba, alfalfa mosaic infecting, 445
potato calico infecting, 445
Violets, damping-off, control, 335
VIRGIN, WALTER J., 280, 790
"Viroplast," term for inclusion bodies, 788
Virulence, bacterial, mechanism in Phytomonas stewartii, 248
Viruses, alfalfa, mosaic, 20, 444
alsike clover, ringspot, 789
aster, yellows, 2, 16, 1049
bean, common mosaic, 9, 779
curly top, 779, 786
cabbage, necrotic virosis (new) 15
camellia, yellow spot (?), 788
Canada streak, 447
cherry, bud-transmissible chlorosis (new), 13
leaf-casting (buckskin), 790
rusty mottle, 789
crucifer, mosaic, 338
cucumber, mosaic, 250, 447, 823
virus-1, 171
in dodder, acquisition and transmission, 2
elm, phloem necrosis, 23
endive, yellows, 16
Italian prunes, leaf spot (1), 347
lettuce brown blight due to (?), 59
yellows, 16
lily,-latent, 788
McWhorter's latent, 171
Nicotiana, mosaic, 4
of orchard fruit trees, 787
bark roughening (?), 790
wood distortion (?), 790
peach, leaf-casting (buckskin), 790
leaf-casting yellows, 322
mosaic, 11
Winters mosaic-, 790
yellow-red or X-disease, 10
pear, stony-pit, 787
phytopathogenic, book reviews, 349, 456
cell modifications induced by, 5
culture trials on chick chorioallantois, 184
distribution in resistant vs. susceptible varieties, 25
increase in inoculated detached leaves, 790
infectivity, duration of, 697
inoculation technique, carborundum powder used in, 185
inoculations with extracts of healthy plants in relation to, 12
mottling classification and nomenclature, 827
multiplication, as influenced by nitrogen nutrition of host, 22
in vector, 2
mutant strains, nomenclature, 827
nature and origin, 12, 13, 666
nomenclature, 456, 820
pathogenicity of strains differing, 11
separation, by cytological methods, 788
through dodder, 2
thixotropic character of protein of, 6
pineapple, yellow-spot, 281, 299
of potato, 20
calico, 444
leaf roll, 315
mild mosaic, components A and X, 944
ringspot, 447
Y-virus, 5
yellow dwarf, 7
sugar beet, curly top, 5, 433, 280
"jaunisse," 5
sweetclover, ringspot, 789
tobacco, 820
broad ringspot (new), 13
curly top, 26, 673
mosaic, 6, 22, 25, 666, 697
virus-1, 540
virus-4, 790
streak, 438
tomato, big bud, 866
big bud (?), 785
mosaic, 21
spotted wilt, 281, 299, 826
tulip, mosaic, 250
-1, 788
strong mottle, 171
Viruses, taxonomy, 456, 820
Vitamin(s), fungus responses to, in Myriangiales, 10
-C, effect on bacterial viability, 1
VOORHEES, R. K., (361)

WAITE, M. B., (357)
WALDEE, E. L., 26
WALKER, E. A., 26
WALKER, J. C., (15), 26, 361
WALLACE, JAMES M., 26, 673
Walnut, Persian, bacterial blight, Bordeaux vs. "insoluble" copper fungicides for, 788

filbert blight compared, 713
WALTER, J. M., 27
Watermelon, Fusariuam wilt, muskmelon wilt compared, 10
strains compared, 10
Phytophthora wilt, 975
wilt, in Iowa, 22
WATKINS, G. M., 707
WATKINS, M. O., (707)
WEAVER, L. O., (7)
WEBER, GEORGE F., 90, (369)
WEIMER, J. L., 155, 708
WEINDLING, RICHARD, (515), 708, 1049, 1051
WEISS, FREEMAN, 236, 409, 447, 454
WELCH, AARON, 27
WELCH, D. S., (368), (453)
WELLMAN, RICHARD H., 638
WERNHAM, C. C., (695)
WEST, ERDMAN, (368), (453)
Western white pine (See Pinus monticola)
WESTON, WILLIAM H., 186
Wheat, bunts, as influenced by: environal factors, 20, 400
fertilizers, 8
losses in United States from, 449
diseases, prevalence and destructiveness in Iowa (1850–1937), 22
loose smut, varietal test with strains of, 3
smuts, losses in United States from, 451
stem rust (See Puccinia graminis; P. g. tritici)
WHETZEL, H. H., 357, (691)
WHITAKER, THOMAS W., (427)
WHITE, RICHARD P., 359
White clover (See Trifolium repens)
White oak (See Quercus alba)
White pine (See Pinus strobus)
White-pine blister rust (See Cronartium ribicola)
WILCOX, MARGUERITE S., 441
WILCOXON, FRANK, (16)
Wildfire, tobacco, resistance in Nicotiana to, 4, 5, 12, 268
Willow, black (See Salix nigra)
WILSON, E. E., 27
WILSON, J. D., 28
Wilt, corn bacterial (See Phytomonas stewartii; Aplanobacter stewarti)
cotton Fusarium, 705, 707, 515
cucumber bacterial, 625
cucurbit Phytophthora, 975
muskmelon and watermelon compared, 10
salsify Verticillium, 981
sugar beet Fusarium, 769
sugar beet Verticillium, 769
tobacco bacterial, 4
tomato Fusarium, 86, 760, 860
Verticillium, 760
tree paeonia, Coniothyrium spp. causing, 8
Verticillium, hosts, 25
watermelon, 10, 22, 975
Wind, rain blown by, role in bacterial infections of stomata, 5
root girdle induced by, 6
WINGARD, S. A., (9)
WINTER, H. F., 28
Witches' broom, potato, control, 20
WOLF, FREDERICK A., 213, 264, (485), (495)
Wood, Ceratostomella ulmi in stored, viability, 272
decay of apple-, fungi associated and control, 936
distortion, in fruit trees, 790
pink stain, Geotrichum causing, 530
WOOD, JESSIE I., (363)
Wounds, in Dutch elm disease infection, 31

Xanthoxylum americanum, fly-speck fungus of apple on, 2
X-disease, of peach (See also Yellow-red disease) general study, 10
leaf-casting yellows compared, 324
X-rays, effect on sectoring in fungi, 383
X-virus, as potato mild mosaic component, 944

YANG, JUHWA Y., (338)
YAP, FRANCIS, 15
YARWOOD, C. E., 28, (361), 784, 791
Yeast, association with smaller European elm-bark beetle, 15
Yellow dwarf, potato, dissemination by leaf hoppers and factors in, 7
Yellow-red disease, peach, symptoms, hosts and control, 10
Yellow-spot, camellia, virus(?) etiology an symptoms, 788
pineapple, identity with spotted wilt, 281, 299
Yellows, aster, virus, mechanical transmission to leaf hoppers, 2
recovery from potato by leaf hopper, 1049
aster-lettuce-endive, dissemination and leaf-hopper vector, statistical study, 16
cabbage, in Iowa, 22
peach leaf-casting-, virus etiology and comparisons, 322
YORK, H. H., 28
YOUNG, H. C., (28), (361)
YOUNG, P. A., 28, (343), (369), 711, 860
Youngberry, canker and die-back of canes, Septoria causing, 785

ZAUMEYER, W. J., (361)
ZELLER, S. M., 791
Zinc sulphate, pecan rosette control by, 704
Zinnia, host of new cabbage virosis, 15
ZUNDEL, G. L., 368, 453
Zygosaccharomyces pini, in pine sapwood-bark beetle association, 886
temperature relations, 896